



# Burden of cardiovascular diseases in the Eastern Mediterranean Region, 1990–2015: findings from the Global Burden of Disease 2015 study

GBD 2015 Eastern Mediterranean Region Cardiovascular Disease Collaborators ·  
Ali H. Mokdad<sup>1</sup>

Received: 1 May 2017/Revised: 20 June 2017/Accepted: 28 June 2017  
© The Author(s) 2017. This article is an open access publication

## Abstract

**Objectives** To report the burden of cardiovascular diseases (CVD) in the Eastern Mediterranean Region (EMR) during 1990–2015.

**Methods** We used the 2015 Global Burden of Disease study for estimates of mortality and disability-adjusted life years (DALYs) of different CVD in 22 countries of EMR. **Results** A total of 1.4 million CVD deaths (95% UI: 1.3–1.5) occurred in 2015 in the EMR, with the highest number of deaths in Pakistan (465,116) and the lowest number of deaths in Qatar (723). The age-standardized DALY rate per 100,000 decreased from 10,080 in 1990 to 8606 in 2015 (14.6% decrease). Afghanistan had the highest age-standardized DALY rate of CVD in both 1990 and 2015. Kuwait and Qatar had the lowest age-standardized DALY rates of CVD in 1990 and 2015, respectively. High blood pressure, high total cholesterol, and high body mass index were the leading risk factors for CVD.

**Conclusions** The age-standardized DALY rates in the EMR are considerably higher than the global average. These findings call for a comprehensive approach to prevent and control the burden of CVD in the region.

**Keywords** Cardiovascular disease · Burden of disease · Eastern Mediterranean Region

## Introduction

The Global Burden of Disease (GBD) study documented that cardiovascular diseases (CVD) have been the leading cause of global mortality since 1980 (Institute for Health Metrics and Evaluation 2017; Mortality and Causes of Death 2016). CVD accounted for nearly one-third of all deaths worldwide in 2015. Meanwhile, the principal components of CVD, namely stroke and ischemic heart disease, accounted for 85.1% (95% uncertainty interval (UI): 84.7–85.5) of all deaths in the CVD category in 2015 (Mortality and Causes of Death 2016).

Although the age-standardized mortality rates of CVD have fallen by 27.3% in the last 25 years, the absolute number of deaths due to CVD increased globally by 42.4% between 1990 and 2015 (2017). Most CVD deaths occur in low- and middle-income countries (Mensah et al. 2015). The decline in age-standardized rates is mainly due to preventive interventions and better access to quality treatment for acute cardiovascular conditions such as myocardial infarction and stroke (Smith 2011). CVD also impose a high economic burden on health systems and society. For instance, CVD personal spending in the United States was estimated to be 231.1 billion USD in 2013 and was the largest disease category of personal health care spending (Dieleman et al. 2016).

---

Corresponding author: Ali H. Mokdad.

---

This article is part of the supplement “The state of health in the Eastern Mediterranean Region, 1990–2015”.

---

GBD 2015 Eastern Mediterranean Region Cardiovascular Disease Collaborators are listed at the end of the article.

---

**Electronic supplementary material** The online version of this article (doi:10.1007/s00038-017-1012-3) contains supplementary material, which is available to authorized users.

---

✉ Ali H. Mokdad  
mokdaa@uw.edu

<sup>1</sup> Institute for Health Metrics and Evaluation, University of Washington, Seattle, WA, USA

The Eastern Mediterranean Region (EMR) comprises 22 countries with a population of nearly 580 million people, with a diverse range in per capita gross national product (maximum 83,990 USD for Qatar, minimum 610 USD for Afghanistan) (World Development Indicators database 2017). To the best of our knowledge, there is no comprehensive report on the burden and mortality of CVD in the EMR.

This study aimed to report findings on cardiovascular diseases between 1990 and 2015, from the Global Burden of Diseases, Injuries and Risk Factors Study (GBD 2015) in the 22 countries of the EMR. This would help us better understand the burden of CVD and interventions needed to control these diseases.

## Methods

GBD 2015 covers 195 countries, 21 regions, and seven super-regions from 1990 to 2015 for 315 diseases and injuries, 2619 unique sequelae, and 79 risk factors by age and sex. Detailed descriptions of the general methodological approach of GBD 2015 and specific methodology used for CVD have been provided elsewhere (GBD 2015 DALYs and Collaborators 2016; GBD 2015 Disease and Injury Prevalence Collaborators 2016; GBD 2015 Mortality and Causes of Death Collaborators 2016).

We evaluated the burden of CVD in the Eastern Mediterranean Region (EMR), which contains 22 countries: Afghanistan, Bahrain, Djibouti, Egypt, Iran, Iraq, Jordan, Kuwait, Lebanon, Libya, Morocco, Oman, Pakistan, Palestine, Qatar, Saudi Arabia, Somalia, Sudan, Syria, Tunisia, the United Arab Emirates (UAE), and Yemen.

The category of CVD includes the ten most common global causes of CVD-related death: rheumatic heart disease, ischemic heart disease, cerebrovascular disease (ischemic stroke and hemorrhagic stroke), hypertensive heart disease, cardiomyopathy and myocarditis, atrial fibrillation and flutter, aortic aneurysm, peripheral vascular disease, endocarditis, and “other cardiovascular and circulatory diseases.” Electronic supplementary table S1 shows the International Classification of Diseases (ICD-10) codes for each of the cardiovascular causes.

To estimate the number of deaths due to CVD, we estimated all-cause mortality envelopes (total number of deaths) for each country-year during 1990–2015; we used all accessible data such as vital registration systems, sample registration data, and household recall of deaths. These sources were used as inputs for cause of death models. We used cause of death ensemble modeling (CODEm) to estimate the number of deaths for each CVD by age, sex, country, and year. The number of deaths for each cause and life tables for all-cause mortality were

used to calculate years of life lost (YLLs) (GBD 2015 Morality and Causes of Death Collaborators 2016; Roth et al. 2015a, b).

We updated our previous systematic reviews for the GBD study separately for each of the non-fatal sequelae of CVD. Data on epidemiologic measures (incidence, prevalence, and case fatality) were extracted from 170 data sources. List of all sources (by cause and location) are available at the Institute for Health Metrics and Evaluation’s website (IHME 2016).

Bayesian meta-regression analysis through DisMod-MR 2.1 was used for disease modeling. Model-based prevalence estimates, in combination with disability weights, were used to calculate cause-specific years lived with disability (YLDs) for each age, sex, location, and year. Disability-adjusted life years (DALYs) were calculated through summation of YLLs and YLDs (DALYs and Collaborators 2016; Disease et al. 2016).

We report 95% uncertainty intervals (UI) for each estimate, including rates, numbers of deaths, and DALYs. We estimated UIs by taking 1000 samples from the posterior distribution of each quantity and using the 25th- and 975th-ordered draws of the uncertainty distribution.

## Results

### Mortality

The CVD death rate per 100,000 population in the EMR decreased from 515.1 (95% UI: 491.7–541.5) in 1990 to 456.5 (95% UI: 431.5–484.2) in 2015 (Table 1). A total of 1,373,329 CVD deaths (95% UI: 1,290,959–1,465,047) occurred in 2015 in the EMR, 54.8% of which were among males. These deaths accounted for 34.1% (95% UI: 33.1–35.1) of all deaths in the region in 2015, compared to 30.2% (95% UI: 29.5–30.9) of all deaths in 1990. The number of men dying from CVD was consistently higher than the number of women during 1990–2015 (Fig. 1).

The total number of deaths from ischemic heart disease (IHD) was 802,078 in 2015, which accounted for 58.4% of the total number of deaths due to CVD in the EMR. There were 637,640 additional deaths in 2015 compared to 1990, out of which 62.5% was contributed by IHD.


Table 2 provides the total number of deaths and the age-standardized death rates from CVD in 1990 and 2015 for all EMR countries. In 2015, Afghanistan had the highest age-standardized death rate from CVD, followed by Iraq and Yemen. In most of the EMR countries, age-standardized death rates for CVD decreased between 1990 and 2015, with the highest decreases in Bahrain, Qatar, Lebanon, and Jordan.

Electronic supplementary figure S1 shows the top-ranked death rates for different CVD in EMR countries.

**Table 1** Total number of deaths and age-standardized mortality rates for cardiovascular diseases in 1990 and 2015, and percentage change, Global Burden of Disease study, Eastern Mediterranean Region, 1990–2015

Cause	Number of deaths			Age-standardized death rate per 100,000					
	1990		2015	1990		2015	% Change		
	Number	95% UI		Rate	95% UI			Rate	95% UI
Cardiovascular diseases	735,689	700,875–773,593	1,373,329	1,290,959–1,465,047	515.1	491.7–541.5	456.5	431.5–484.2	–11.4
Rheumatic heart disease	18,350	16,029–21,037	27,046	22,945–31,078	9.1	7.8–10.7	6.8	5.7–7.8	–25.5
Ischemic heart disease	403,355	379,184–425,913	802,078	750,839–859,266	294.0	276.9–310.3	269.1	252.5–286.9	–8.5
Ischemic stroke	92,230	79,786–106,780	174,760	158,325–190,197	75.5	65.5–87.8	65.6	59.7–71.2	–13.1
Hemorrhagic stroke	117,813	105,731–133,751	200,113	182,283–230,479	71.5	61–82.5	60.6	55.4–69.6	–15.3
Hypertensive heart disease	36,179	30,771–46,101	62,663	55,680–71,029	27.0	22.7–35.2	21.4	19–24.1	–20.7
Cardiomyopathy and myocarditis	18,025	15,031–20,571	27,128	24,612–29,553	8.7	7.2–10	7.3	6.5–7.9	–16.6
Atrial fibrillation and flutter	3513	2654–4487	7535	5707–9666	3.9	2.9–5.1	3.5	2.6–4.5	–11.0
Aortic aneurysm	2694	2163–3414	6941	6291–7580	2.0	1.6–2.5	2.3	2.1–2.5	14.9
Peripheral artery disease	114	68–151	424	365–508	0.1	0.1–0.1	0.2	0.1–0.2	65.9
Endocarditis	5172	4167–7067	9016	7833–12,719	2.9	2.3–4.2	2.6	2.3–3.9	–8.3
Other cardiovascular and circulatory diseases	38,243	34,519–42,477	55,625	51,621–60,292	20.3	18.5–22.2	17.1	15.9–18.6	–15.7

**Fig. 1** Trend of number of deaths and age-standardized mortality rate from cardiovascular diseases in males and females, Global Burden of Disease study, Eastern Mediterranean Region, 1990–2015



Ischemic heart disease was the leading cause of CVD mortality in 20 countries of the EMR; the exceptions were Djibouti and Somalia, where cerebrovascular disease (both hemorrhagic and ischemic stroke) was the leading cause of cardiovascular-related death.

### YLLs

The age-standardized YLL rate decreased 15.3%, from 9618.7 (9148.6–10,141.7) per 100,000 in 1990–8145.0 (7628.6–8744.3) per 100,000 in 2015 (Electronic supplementary table S2). In the region, Afghanistan had the highest age-standardized YLL rate at 21,426.2 (17,105.2–26,544.7), followed by Yemen and Iraq (Electronic supplementary table S2). In all countries of the EMR except Pakistan, age-standardized YLL rates decreased from 1990 to 2015 (Electronic supplementary table S2).

### YLDs

The years lived with disability caused by CVD in the EMR increased from 1,058,839 (95% UI: 746,613–1409,913) in 1990 to 1,966,111 (95% UI: 1398,373–2597,819) in 2015. The rate of YLD increased by 85.7% during 1990–2015 in the EMR.

The age-standardized YLD rate in the EMR was 460.6 (329.2–603.6) per 100,000 in 2015, which showed very little decrease compared to 1990 (461.1 per 100,000) (Electronic supplementary table S2). Oman had the highest age-standardized YLD rate in the region in both 1990 and 2015: it was 1261 (874.6–1722.1) per 100,000 in 2015, which was about 2.7 times higher than the regional average. United Arab Emirates had the lowest age-standardized YLD rate in the EMR, 296.8 per 100,000 in 1990 and 285.8 per 100,000 in 2015. Age-standardized YLD rates of CVD decreased between 1990 and 2015 in six countries of the

region: Iran, United Arab Emirates, Jordan, Djibouti, Somalia, and Afghanistan. The biggest decline was seen in Iran (4.6%), and the smallest reduction was in Afghanistan (0.5%). Among the remaining 16 countries of the region that showed increases in age-standardized YLD rates of CVD, Syria's was the greatest, at 9.1%.

### DALYs

The rate of DALYs from CVD per 100,000 population decreased from 5447.8 (95% UI: 5168.2–5739.0) in 1990–5109.8 (95% UI: 4771.3–5511.1) in 2015, a 6.2% decrease—compared to an 8.4% reduction in the DALY rate for all other non-communicable diseases in the EMR. The age-standardized DALY rate also decreased 14.6% during 1990–2015 (Table 3). Table 3 reports numbers and age-standardized rates of DALYs for different CVD in the EMR in 1990 and 2015. The age-standardized DALY rate of CVD for men and women in the EMR in 2015 was higher than in other WHO regions. It was 1.51 times the global rate for males and 1.86 times the global rate for females. Electronic supplementary figure S2 shows the age-standardized rates of DALYs for different CVD in men and women. As shown, ischemic heart disease caused the highest number of DALYs both in men (5771.9 per 100,000) and women (3931.2 per 100,000), followed by hemorrhagic stroke and ischemic stroke.

Electronic supplementary figure S3 shows DALY rates for each CVD in different age groups. As shown, the highest DALY rates for IHD, hemorrhagic stroke, ischemic stroke, and hypertensive heart disease were observed in people aged 50–69 years. IHD, hemorrhagic stroke, and rheumatic heart disease showed the highest number of DALYs in the 15–49 years age group.

Table 4 summarizes age-standardized DALY rates for CVD in the EMR countries in 1990 and 2015. As shown,

**Table 2** Total number of deaths and age-standardized mortality rates for cardiovascular disease causes of death in 1990 and 2015, and percent change, Global Burden of Disease study, Eastern Mediterranean Region, 1990–2015

Country	Number of deaths			Age-standardized death rate per 100,000			% Change
	1990			2015			
	Number	95% UI	Number	Rate	95% UI	Rate	
EMR	735,689	700,875–773,593	1,373,329	515.1	491.7–541.5	456.5	86.7
Afghanistan	34,755	27,217–42,776	10,1572	1048.1	860.6–1235.4	1042.5	192.2
Bahrain	614	547–681	792	414.1	371.4–456.9	186.1	29.0
Djibouti	683	434–1025	1402	393.4	265.8–568.8	360.9	105.3
Egypt	153,214	147,677–157,026	226,457	544.9	530.1–556.7	465.2	47.8
Iran	96,775	86,347–107,587	176,299	499.2	451.4–547.5	402.2	82.2
Iraq	44,476	38,326–51,342	75,604	657.6	569.1–755.1	604.4	70.0
Jordan	4869	4319–5684	6788	416.0	370.2–481.4	236.9	39.4
Kuwait	1262	1192–1324	2367	258.5	245–271.3	209.7	87.6
Lebanon	7397	6206–8674	11,632	464.2	391.3–540.9	252.1	57.3
Libya	4864	4354–5397	9301	310.3	276.6–344	299.7	91.2
Morocco	36,293	32,487–40,581	59,824	362.1	327.5–400.4	268.3	64.8
Oman	2108	1688–2552	4000	378.8	300.7–461.2	300.3	89.7
Pakistan	216,936	191,002–247,476	465,116	513.1	454.9–578	530.9	114.4
Palestine	2333	1902–2925	5805	443.1	366.5–542	394.9	148.8
Qatar	338	297–383	723	342.4	303.1–380.4	180.6	114.3
Saudi Arabia	13,222	11,931–14,651	25,845	288.0	260.4–317.9	231.6	95.5
Somalia	11,706	3957–22,825	15,080	508.9	192.7–890.2	439.7	28.8
Sudan	42,922	35,852–51,825	74,648	611.3	512.7–738.5	501.9	73.9
Syria	23,049	20,307–26,719	33,044	554.8	494.8–634.9	401.0	43.4
Tunisia	10,747	9970–11,633	18,423	285.3	263.3–308.9	204.0	71.4
UAE	1641	1260–2230	8563	406.5	327.3–501.8	333.4	421.9
Yemen	25,485	16,534–36,647	50,043	700.0	461.6–991.9	592.1	96.4

**Table 3** Total disability-adjusted life years (DALY) and age-standardized disability-adjusted life years rates for component cardiovascular causes of death in 1990 and 2015, and percent change, Global Burden of Disease study, Eastern Mediterranean Region, 1990–2015

Cause	Number of DALYs						Age-standardized DALY rate per 100,000						
	1990			2015			1990			2015			% Change
	Number	95% UI	% Change	Number	95% UI	% Change	Rate	95% UI	Rate	95% UI	Rate	95% UI	
Cardiovascular diseases	20,164,206	19,129,504–21,242,151	64.3	33,131,948	30,937,166–35,734,353	64.3	10,079.8	9594.7–10,603.6	8605.6	8074.6–9219.3	–14.6		
Rheumatic heart disease	876,838	770,813–986,361	31.5	1153,351	993,217–1333,219	31.5	302.1	265.1–344.5	215.8	185.2–248.4	–28.5		
Ischemic heart disease	9323,188	8770,306–9877,741	91.2	17,827,201	16,511,324–19,368,534	91.2	5370.1	5052.6–5672.7	4865.0	4533.1–5231.4	–9.4		
Ischemic stroke	1879,679	1649,862–2128,711	74.1	3272,789	2963,211–3568,718	74.1	1183.5	1031.4–1361	997.6	903.8–1085.4	–15.7		
Hemorrhagic stroke	3941,327	3658,523–4323,670	41.2	5565,221	5091,084–6337,446	41.2	1649.0	1485.2–1870.5	1303.2	1193.9–1493	–21.0		
Hypertensive heart disease	822,728	711,712–1011,157	66.1	1366,662	1201,763–1571,258	66.1	479.4	411.3–603	371.0	328.2–422.5	–22.6		
Cardiomyopathy and myocarditis	833,292	693,153–982,453	20.2	1001,334	891,780–1097,777	20.2	247.2	206.1–281.7	188.0	170.3–204.4	–24.0		
Atrial fibrillation and flutter	77,777	61,867–94,926	107.4	161,328	129,867–199,493	107.4	63.3	51.4–77	58.2	47–71	–8.0		
Aortic aneurysm	63,221	50,928–80,451	158.3	163,304	146,635–180,105	158.3	35.4	28.5–45	41.6	37.6–45.6	17.6		
Peripheral artery disease	13,954	7359–24,367	135.4	32,852	18,777–56,064	135.4	10.1	5.3–17.9	11.2	6.4–19.3	11.3		
Endocarditis	217,347	160,723–291,718	34.7	292,842	248,013–378,079	34.7	68.4	55–92.5	58.5	50.9–80.3	–14.4		
Other CVD	2114,855	1844,679–2463,667	8.5	2295,064	2018,478–2613,017	8.5	671.3	599.3–755.3	495.4	440.4–555.8	–26.2		

**Table 4** Total number of disability-adjusted life years and age-standardized disability-adjusted life years rates for cardiovascular diseases in 1990 and 2015, and percent change, 1990–2015, in Eastern Mediterranean Region countries

Country	Number of DALYs			% Change			Age-standardized DALY rate per 100,000			% Change
	1990		2015		% Change	1990		2015		
	Number	95% UI	Number	95% UI		Rate	95% UI	Rate	95% UI	
EMR	20,164,206	19,129,504–21,242,151	33,131,948	30,937,166–35,734,353	64.3	10,079.8	9594.7–10,603.6	8605.6	8074.6–9219.3	-14.6
Afghanistan	1,019,023	7,93,590–1,278,676	2,865,062	2,239,466–3,635,800	181.2	22,258.2	17,615.6–27,186.7	21,864.3	17,591.4–27,024.5	-1.8
Bahrain	18,578	16,524–20,639	23,376	19,748–27,808	25.8	8086.5	7206.4–8964	3281.4	2832.6–3769.2	-59.4
Djibouti	19,979	13,027–29,586	35,930	19,430–64,153	79.8	7891.5	5171.4–11,605.5	7112.8	4021.2–12,056.6	-9.9
Egypt	4,373,017	4,109,349–4,595,897	5,436,416	5,216,937–5,700,475	24.3	11,230.6	10,762.9–11,583.1	8826.2	8508.6–9171.3	-21.4
Iran	2,941,466	2,601,284–3,291,417	3,875,985	3,249,465–4,577,119	31.8	9849.9	8776.8–10,950.2	7179.6	6090.9–8340.9	-27.1
Iraq	1,070,614	917,957–1248,583	1,875,448	1,489,313–2,315,419	75.2	12,513.4	10,678.3–14,669.9	11,244.0	9089.6–13,679.3	-10.1
Jordan	109,195	95,903–127,032	154,251	137,970–172,312	41.3	7692.8	6771.4–8983.8	4077.5	3666.1–4533	-47.0
Kuwait	40,918	38,315–43,123	75,385	65,509–87,507	84.2	4818.8	4558.7–5066.9	3884.1	3424.2–4417.1	-19.4
Lebanon	167,913	140,761–199,069	211,244	159,897–264,585	25.8	8792.7	7390.6–10,364.6	4213.8	3210.3–5249.2	-52.1
Libya	176,223	154,977–198,183	234,502	205,521–265,135	33.1	6384.4	5714.7–7050.6	5638.4	4957.2–6367.8	-11.7
Morocco	1,103,861	980,405–1,235,540	1,332,750	1,078,637–1,670,227	20.7	7222.4	6511.3–8059.2	4977.5	4039.5–6209.9	-31.1
Oman	93,965	76,349–115,695	135,300	114,087–155,337	44.0	8404.3	6832–10,016.2	5962.4	5071–6713.2	-29.1
Pakistan	5,069,303	4,422,395–5,880,731	10,719,663	9,250,078–12,360,492	111.5	9446.3	8281–10,798.4	9928.0	8664.3–11,288.5	5.1
Palestine	68,438	55,953–85,314	150,510	120,084–183,652	119.9	8263.4	6749.8–10,377.3	7280.6	5868.1–8727.7	-11.9
Qatar	10,556	9283–12,017	24,791	19,932–30,601	134.8	5873.6	5192.9–6542.3	3013.6	2466.4–3730	-48.7
Saudi Arabia	359,601	320,837–401,588	663,879	600,438–732,764	84.6	5285.0	4727.5–5861.6	4003.3	3650.2–4393.1	-24.3
Somalia	329,146	120,719–676,354	410,106	151,542–920,717	24.6	10,762.8	3851–21,078.4	9062.4	3379.7–18,999.5	-15.8
Sudan	1,359,599	1,129,865–1,596,275	2,047,475	1,542,545–2,657,659	50.6	12,814.4	10,687.4–15,522.9	9823.7	7427.1–12,742.4	-23.3
Syria	668,927	579,151–779,665	766,383	663,438–864,601	14.6	11,211.5	9876.4–13,008.3	7277.4	6299.5–8180.1	-35.1
Tunisia	282,490	259,822–306,247	371,042	306,673–438,530	31.3	5367.9	4992.8–5778.7	3694.6	3055.8–4362	-31.2
UAE	56,629	42,431–80,907	304,764	220,613–401,976	438.2	7978.3	6300–10,281.2	6184.6	4945.5–7774.5	-22.5
Yemen	824,766	550,243–1,143,803	1,417,685	876,250–2,252,582	71.9	14,715.3	9437–21,422.1	11,692.8	7228.8–18,372.2	-20.5

DALY rates decreased in all EMR countries except Pakistan from 1990 to 2015; the greatest reductions in DALY rates were seen in Bahrain (59.4%), Qatar (48.7%), and Jordan (47%). Afghanistan had the highest age-standardized CVD DALY rate in both 1990 and 2015. Kuwait had the lowest age-standardized DALY rate of CVD in 1990, and Qatar had the lowest in 2015.

Analyzing the components of DALYs, CVD had a higher YLL rate compared to YLD rate: on average, YLLs were 17.7 times higher than YLDs in the EMR. The YLL/YLD ratio in the countries of the region showed a wide range of variation, from 48.9 in Afghanistan to 3.7 in Oman (Electronic supplementary table S2).

### Risk factors


Figure 2 shows the contribution, in DALYs, of different risk factors to different CVD. High blood pressure, high total cholesterol, and high body mass index were the leading risk factors for CVD, accounting for 17,159,331 DALYs, 9852,820 DALYs, and 8427,021 DALYs, respectively.

The cluster of all dietary risk factors accounts for 19,803,725 DALYs, making it the leading risk factor for CVD, higher than even high blood pressure. Low whole grains, low fruit, low vegetables, and high sodium intake were the most important dietary risk factors.

### Discussion

This study shows that CVD are the leading cause of disease burden in the EMR as a whole and in most of the countries of the region. Close to 33 million years of life were lost due to premature mortality or disability from CVD, and more than 1.3 million people died in the EMR in 2015, accounting for around one-third of all deaths in the region. Previous studies have also reported CVD deaths as the main cause of death, for instance, 45% in the West Bank (Palestine), 45% in Aleppo (Syria), 35% in Jordan, and 25% in UAE (Barakat et al. 2012; Loney et al. 2013; Shara 2010). A study in Europe has reported CVD mortality as making up half of all deaths (Nichols et al. 2014).

CVD age-standardized mortality was considerably higher than the global average (456 compared to 286 per 100,000); however it shows a declining trend over the past 25 years in most of the EMR countries. Countries with higher declines (Bahrain, Qatar, Lebanon, and Jordan) were among the countries in the fourth Socio-demographic Index quartile category. In another GBD study, we estimated an index for healthcare access and quality which is a composite index based on estimates of mortality amenable to personal health care and varies between 0 (worst) and 100 (best). The index showed substantial heterogeneity with a range between 32 (Afghanistan) and 85 (Qatar) in 2015 in the EMR. Linking these results to the findings of



**Fig. 2** Number of disability-adjusted life years for different cardiovascular diseases attributed to different risk factors, Global Burden of Disease study, Eastern Mediterranean Region, 2015



our study showed that the countries with lower age-standardized DALY rates due to CVD had a higher index for healthcare access and quality, and vice versa. This restates the importance of increasing access to and quality of health care to reduce CVD burden (Barber et al. 2017).

In the EMR, YLLs are the main component of CVD burden. A global-level assessment showed that for overall CVD, YLL rates were lowest in both the lowest and highest socio-demographic groups, with an increase for those in the middle of the socio-demographic rankings. It has been suggested that medical care in countries with the highest Socio-demographic Index might have increased life expectancy to the point where CVD is most prevalent, while people in the lowest socio-demographic group are dying from other competing conditions before reaching the common age for developing ischemic heart disease and stroke. Based on this hypothesis, people living in countries in the middle range of the socio-demographic rankings are surviving long enough to develop ischemic heart disease but do not have access to optimal medical or surgical treatment (GBD 2015 Mortality and Causes of Death Collaborators 2016).

These findings call for a comprehensive approach to prevent and control the burden of CVD in the region. This approach should include a road map for better monitoring of the burden in EMR countries, with a focus on potential variations in risk and care by regions within the countries. It should also include programs for increasing awareness among the general population of the importance of controlling CVD risk factors.

The United Nations has set targets to decrease mortality from non-communicable diseases (Sustainable Development Goals, target 3.4.1), and CVD is at the center of this target (GBD 2015 SDGs Collaborators 2016). The World Health Organization has suggested a package of essential non-communicable disease interventions for primary health care in low-resource settings (PEN). These interventions include a mixture of cost-effective population-wide and individual approaches to reduce the burden of major non-communicable diseases, such as methods for early detection and diagnosis using inexpensive technologies, non-pharmacological and pharmacological approaches for modification of risk factors, and affordable medications for prevention and treatment of heart attacks and strokes, diabetes, cancer, and asthma (World-Health-Organization 2010).

Our study showed that increased blood pressure is the most important risk factor for CVD in the EMR, followed by high total cholesterol and high body mass index. A Cochrane systematic review showed that multiple risk factor interventions may lower systolic and diastolic blood pressure, body mass index, and waist circumference in low- and middle-income countries (Uthman et al. 2015).

Previous studies show a high percentage of undiagnosed CVD risk factors, such as diabetes and hypertension, in the region (Abd El-Aty et al. 2015; El Bcheraoui et al. 2014a, b; Najafipour et al. 2014). The evidence shows that delayed detection and undiagnosed risk factors, especially diabetes, are strong predictors of fatal CVDs (Nakagami et al. 2006). Based on reports from the region, required care and services (such as medications) are underutilized in diagnosed cases, even in high-income countries like Saudi Arabia (Moradi-Lakeh et al. 2016). Underutilization of medications is a function of availability, accessibility, affordability, acceptability, and quality of medicines (and care), as well as adherence to medical recommendations (Behnood-Rod et al. 2016; Najafipour et al. 2014; van Mourik et al. 2010; Wirtz et al. 2016). The Prospective Urban Rural Epidemiology (PURE) study showed great variation in availability, affordability, and use of medications for CVD, between and within countries. Countries with less control over production, importation, distribution chains, and retail outlets are specifically at risk of sub-standard quality and falsification of medicines (Khatib et al. 2016). All these factors are important to achieve desired health outcomes in the field of CVD. CVD prevention and control programs should improve the perceived need and demand of the population for early detection and use of the prevention/control services. The study on CVD mortality forecast in 2015 has shown that the MENA region will not achieve the target of 25% reduction of CVD mortality by 2025 without achieving all major targets for risk factor reduction (i.e., reducing the prevalence of elevated systolic blood pressure by 25%, reducing the prevalence of smoking by 30%, halting the rise in elevated body mass index, and halting the rise in fasting plasma glucose). Moreover, reports of health system challenges in controlling and managing CVD in some of the EMR countries reemphasize the need for significant investment and improvement of access (Roth et al. 2015a, b; Romdhane et al. 2015; Ahmad et al. 2015).

Our study has some limitations; accurate data on cardiovascular events (especially non-fatal outcomes) are limited in many countries, including the EMR countries. We used the standard GBD methodology by using study- and country-level covariates for adjustment and estimation of epidemiologic measures. Our study does not account for variation within countries.

## Conclusion

Most of the EMR countries have launched programs to reduce the burden of non-communicable disease, but they generally do not have widespread programs to combat CVD. This study calls for strengthening efforts to design and launch comprehensive programs to cover all aspects of

prevention and control of CVDs through evidence-informed, efficient interventions. The countries should establish or improve information systems such as surveillance systems to provide valid and accurate information for policymaking and monitoring of the situation.

**GBD 2015 Eastern Mediterranean Region Cardiovascular Disease Collaborators:** Arash Tehrani-Banihashemi, PhD, Preventive Medicine and Public Health Research Center, Iran University of Medical Sciences, Tehran, Iran. Maziar Moradi-Lakeh, MD, Department of Community Medicine, Preventive Medicine Public Health Research Center, Gastrointestinal and Liver Disease Research Center (GILDRC), Iran University of Medical Sciences, Tehran, Iran. Charbel El Bcheraoui, PhD, Institute for Health Metrics and Evaluation, University of Washington. Raghid Charara, MD, American University of Beirut, Beirut, Lebanon. Ibrahim Khalil, MD, Institute for Health Metrics and Evaluation, University of Washington. Ashkan Afshin, MD, Institute for Health Metrics and Evaluation, University of Washington, Seattle, Washington, USA. Michael Collison, BS, Institute for Health Metrics and Evaluation, University of Washington, Seattle, Washington, USA. Farah Daoud, BA/BS, Institute for Health Metrics and Evaluation, University of Washington. Kristopher J. Krohn, BA, Institute for Health Metrics and Evaluation, University of Washington, Seattle, Washington, USA. Adrienne Chew, ND, Institute for Health Metrics and Evaluation, University of Washington. Leslie Cornaby, BS, Institute for Health Metrics and Evaluation, University of Washington, Seattle, Washington, USA. Kyle J. Foreman, PhD, Institute for Health Metrics and Evaluation, University of Washington, Seattle, Washington, USA. Imperial College London, London, UK. Joseph Frostad, Institute for Health Metrics and Evaluation, University of Washington. Nicholas J. Kassebaum, MD, Institute for Health Metrics and Evaluation, University of Washington, Seattle, Washington, USA; Department of Anesthesiology and Pain Medicine, Seattle Children's Hospital, Seattle, Washington, USA. Laura Kemmer, PhD, Institute for Health Metrics and Evaluation, University of Washington. Michael Kutz, BS, Institute for Health Metrics and Evaluation, University of Washington. Patrick Liu, BA, Institute for Health Metrics and Evaluation, University of Washington. Mojde Mirarefin, MPH, Institute for Health Metrics and Evaluation, University of Washington, Seattle, Washington, USA; Hunger Action Los Angeles, Los Angeles, CA, USA. Grant Nguyen, MPH, Institute for Health Metrics and Evaluation, University of Washington, Seattle, Washington, USA. Haidong Wang, PhD, Institute for Health Metrics and Evaluation, University of Washington, Seattle, Washington, USA. Ben Zipkin, BS, Institute for Health Metrics and Evaluation, University of Washington, Seattle, Washington, USA. Amanuel Alemu Abajobir, MPH, School of Public Health, University of Queensland, Brisbane, QLD, Australia. Marian Abouzeid, DPH, Telethon Kids Institute, Perth, Australia. Niveen M.E. Abu-Rmeileh, PhD, Institute of Community and Public Health, Birzeit University, Ramallah, Palestine. Aliasghar Ahmad Kiadaliri, PhD, Department of Clinical Sciences Lund, Orthopedics, Clinical Epidemiology Unit, Lund University, Lund, Sweden. Muktar Beshir Ahmed, MPH, College of Health Sciences, Department of Epidemiology, ICT and e-Learning Coordinator, Jimma University, Jimma, Ethiopia. Baran Aksut, MD, Cleveland Clinic, Cleveland, USA. Khurshid Alam, PhD, Murdoch Childrens Research Institute, The University of Melbourne, Parkville, Victoria, Australia. The University of Melbourne, Melbourne, VIC, Australia, The University of Sydney, Sydney, NSW, Australia. Deena Alasfoor, MSc, Ministry of Health, Al Khuwair, Muscat, Oman. Raghieb Ali, MSc, University of Oxford, Oxford, UK. Reza Alizadeh-Navaei, PhD, Gastrointestinal Cancer Research Center, Mazandaran University of Medical Sciences, Sari, Iran. Rajaa Al-Raddadi, PhD, Joint Program of Family

and Community Medicine, Jeddah, Saudi Arabia. Ubai Alsharif, MPH, Charité Universitätsmedizin, Berlin, Germany. Khalid A. Altirkawi, MD, King Saud University, Riyadh, Saudi Arabia. Nelson Alvis-Guzman, PhD, Universidad de Cartagena, Colombia. Nahla Anber, PhD, Mansoura University, Mansoura, Egypt. Palwasha Anwari, MD, Self-employed, Kabul, Afghanistan. Johan Ärnlöv, PhD, Department of Neurobiology, Care Sciences and Society, Division of Family Medicine and Primary Care, Karolinska Institutet, Stockholm, Sweden, School of Health and Social Studies, Dalarna University, Falun, Sweden. Solomon Weldegebreal Asgedom, PhD, Mekelle University, Mekelle, Ethiopia. Tesfay Mehari Atey, MS, Mekelle University, Mekelle, Ethiopia. Ashish Awasthi, PhD, Sanjay Gandhi Postgraduate Institute of Medical Sciences, Lucknow, India. Till Bärnighausen, MD, Department of Global Health and Population, Harvard T. H. Chan School of Public Health, Harvard University, Boston, MA, USA; Africa Health Research Institute, Mtubatuba, South Africa; Institute of Public Health, Heidelberg University, Heidelberg, Germany. Umar Bacha, PhD, School of Health Sciences, University of Management and Technology, Lahore, Pakistan. Aleksandra Barac, PhD, Faculty of Medicine, University of Belgrade, Belgrade, Serbia. Suzanne L. Barker-Collo, PhD, School of Psychology, University of Auckland, Auckland, New Zealand. Neeraj Bedi, MD, College of Public Health and Tropical Medicine, Jazan, Saudi Arabia. Derrick A. Bennett, PhD, Nuffield Department of Population Health, University of Oxford, Oxford, UK. Derbew Fikadu Berhe, MS, School of Pharmacy, Mekelle University, Mekelle, Ethiopia. Sibhatu Biadgilign, MPH, Independent Public Health Consultants, Addis Ababa, Ethiopia. Zahid A. Butt, PhD, Al Shifa Trust Eye Hospital, Rawalpindi, Pakistan. Jonathan R. Carapetis, PhD, Telethon Kids Institute, Princess Margaret Hospital for Children, The University of Western Australia, Subiaco, Western Australia, Australia. Ruben Estanislao Castro, PhD, Universidad Diego Portales, Santiago, Region Metropolitana, Chile. Abdulaal A. Chitheer, MD, Ministry of Health, Baghdad, Iraq. Kairat Davletov, PhD, Republican Institute of Cardiology and Internal Diseases, Almaty, Kazakhstan, School of Public Health, Kazakh National Medical University, Almaty, Kazakhstan. Samath D. Dharmaratne, MD, Department of Community Medicine, Faculty of Medicine, University of Peradeniya, Peradeniya, Sri Lanka. Shirin Djalalinia, PhD, Undersecretary for Research and Technology, Ministry of Health and Medical Education, Tehran, Iran. Huyen Phuc Do, MSc, Institute for Global Health Innovations, Duy Tan University, Da Nang, Vietnam. Manisha Dubey, MPhil, International Institute for Population Sciences, Mumbai, India. Hedyeh Ebrahimi, MD, Non-communicable Diseases Research Center, Tehran University of Medical Sciences, Tehran, Iran; Liver and Pancreaticobiliary Diseases Research Center, Digestive Disease Research Institute, Shariati Hospital, Tehran University of Medical Sciences, Tehran, Tehran, Iran. Babak Eshrati, PhD, Ministry of Health and Medical Education, Tehran, Iran, Arak University of Medical Sciences, Arak, Iran. Alireza Esteghamati, MD, Endocrinology and Metabolism Research Center, Tehran University of Medical Sciences, Tehran, Iran. Maryam S. Farvid, PhD, Department of Nutrition, Harvard T. H. Chan School of Public Health, Harvard University, Boston, MA, USA, Harvard/MGH Center on Genomics, Vulnerable Populations, and Health Disparities, Morgan Institute for Health Policy, Massachusetts General Hospital, Boston, MA, USA. Seyed-Mohammad Fereshtehnejad, PhD, Department of Neurobiology, Care Sciences and Society (NVS), Karolinska Institutet, Stockholm, Sweden. Florian Fischer, PhD, School of Public Health, Bielefeld University, Bielefeld, Germany. Solomon Weldemariam Gebrehiwot, MS, College of Health Sciences, Mekelle University, Mekelle, Ethiopia. Tsegaye Tewelde Gebrehiwot, MPH, Jimma University, Jimma, Ethiopia. Richard F. Gillum, MD, Howard University, Washington, DC, USA. Philimon N. Gona, PhD, University of Massachusetts Boston, Boston, Massachusetts, USA. Rajeev Gupta, PhD, Eternal Heart Care Centre and Research

- Institute, Jaipur, India. Nima Hafezi-Nejad, MD, Endocrinology and Metabolism Research Center, Tehran University of Medical Sciences, Tehran, Iran. Randah Ribhi Hamadeh, DPhil, Arabian Gulf University, Manama, Bahrain. Samer Hamidi, DrPH, Hamdan Bin Mohammed Smart University, Dubai, United Arab Emirates. Mohamed Hsairi, MD, Department of Epidemiology, Salah Azaiz Institute, Tunis, Tunisia. Sun Ha Jee, PhD, Graduate School of Public Health, Yonsei University, Seoul, South Korea. Jost B. Jonas, MD, Department of Ophthalmology, Medical Faculty Mannheim, Ruprecht-Karls-University Heidelberg, Mannheim, Germany. Chante Karimkhani, MD, Case Western University Hospitals, Cleveland, Ohio, USA. Amir Kasaeian, PhD, Hematology-Oncology and Stem Cell Transplantation Research Center, Tehran University of Medical Sciences, Tehran, Iran; Endocrinology and Metabolism Population Sciences Institute, Tehran University of Medical Sciences, Tehran, Iran. Yousef Saleh Khader, ScD, Department of Community Medicine, Public Health and Family Medicine, Jordan University of Science and Technology, Irbid, Jordan. Ejaz Ahmad Khan, MD, Health Services Academy, Islamabad, Pakistan. Daniel Kim, DrPH, Department of Health Sciences, Northeastern University, Boston, Massachusetts, USA. Dharmesh Kumar Lal, MD, Public Health Foundation of India, Gurgaon, India. Heidi J. Larson, PhD, Department of Infectious Disease Epidemiology, London School of Hygiene and Tropical Medicine, London, UK; Institute for Health Metrics and Evaluation, University of Washington, Seattle, Washington, USA. Asma Abdul Latif, PhD, Department of Zoology, Lahore College for Women University, Lahore, Pakistan. Shai Linn, MD, University of Haifa, Haifa, Israel. Paulo A. Lotufo, DrPH, University of São Paulo, São Paulo, Brazil. Raimundas Lunevicius, PhD, Aintree University Hospital National Health Service Foundation Trust, Liverpool, UK; School of Medicine, University of Liverpool, Liverpool, UK. Hassan Magdy Abd El Razek, MBBCh, Mansoura Faculty of Medicine, Mansoura, Egypt. Azeem Majeed, MD, Department of Primary Care and Public Health, Imperial College London, London, UK. Reza Malekzadeh, MD, Digestive Diseases Research Institute, Tehran University of Medical Sciences, Tehran. Deborah Carvalho Malta, PhD, Universidade Federal de Minas Gerais, Belo Horizonte, Minas Gerais, Brazil. Toni Meier, PhD, Martin Luther University Halle-Wittenberg, Halle (Saale), Germany. Peter Memiah, PhD, University of West Florida, Pensacola, FL, USA. Ziad A. Memish, MD, Saudi Ministry of Health, Riyadh, Saudi Arabia; College of Medicine, Alfaisal University, Riyadh, Saudi Arabia. Walter Mendoza, MD, United Nations Population Fund, Lima, Peru. George A. Mensah, MD, Center for Translation Research and Implementation Science, National Heart, Lung, and Blood Institute, National Institutes of Health, Bethesda, MD, USA. Atte Meretoja, PhD, Department of Medicine, The University of Melbourne, Melbourne, Victoria, Australia, Department of Neurology, Helsinki University Hospital, Helsinki, Finland. Ted R. Miller, PhD, Pacific Institute for Research and Evaluation, Calverton, MD, USA; Centre for Population Health, Curtin University, Perth, WA, Australia. Erkin M. Mirrakhimov, PhD, Kyrgyz State Medical Academy, Bishkek, Kyrgyzstan; National Center of Cardiology and Internal Disease, Bishkek, Kyrgyzstan. Shafiu Mohammed, PhD, Health Systems and Policy Research Unit, Ahmadu Bello University, Zaria, Nigeria; Institute of Public Health, Heidelberg University, Heidelberg, Germany. Quyen Le Nguyen, MD, Institute for Global Health Innovations, Duy Tan University, Da Nang, Vietnam. Vuong Minh Nong, MSc, Institute for Global Health Innovations, Duy Tan University, Da Nang, Vietnam. Jonathan Pearson-Stuttard, MD, Imperial College London, London, UK. Farhad Pishgar, MD, Non-communicable Diseases Research Center, Tehran University of Medical Sciences, Tehran, Iran; Uro-Oncology Research Center, Tehran University of Medical Sciences, Tehran, Iran. Farshad Pourmalek, PhD, University of British Columbia, Vancouver, British Columbia, Canada. Mostafa Qorbani, PhD, Non-communicable Diseases Research Center, Alborz University of Medical Sciences, Karaj, Iran. Amir Radfar, MD, A T Still University, Kirksville, MO, USA. Anwar Rafay, MS, Contech International Health Consultants, Lahore, Pakistan; Contech School of Public Health, Lahore, Pakistan. Vafa Rahimi-Movaghar, MD, Sina Trauma and Surgery Research Center, Tehran University of Medical Sciences, Tehran, Iran. Rajesh Kumar Rai, MPH, Society for Health and Demographic Surveillance, Suri, India. Saleem M. Rana, PhD, Contech School of Public Health, Lahore, Pakistan, Contech International Health Consultants, Lahore, Pakistan. David Laith Rawaf, MD, WHO Collaborating Centre, Imperial College London, London, UK, North Hampshire Hospitals, Basingstoke, UK; University College London Hospitals, London, UK. Salman Rawaf, MD, Imperial College London, London, UK. Andre M. N. Renzaho, PhD, Western Sydney University, Penrith, NSW, Australia. Satar Rezaei, PhD, School of Public Health, Kermanshah University of Medical Sciences, Kermanshah, Iran. Kedir Teji Roba, PhD, Haramaya University, Harar, Ethiopia. Gholamreza Roshandel, PhD, Golestan Research Center of Gastroenterology and Hepatology, Golestan University of Medical Sciences, Gorgan, Iran; Digestive Diseases Research Institute, Tehran University of Medical Sciences, Tehran, Iran. Mahdi Safdarian, MD, Sina Trauma and Surgery Research Center, Tehran University of Medical Sciences, Tehran, Iran. Sare Safi, MS, Ophthalmic Epidemiology Research Center, Shahid Beheshti University of Medical Sciences, Tehran, Iran. Saeid, Safiri, PhD, Managerial Epidemiology Research Center, Department of Public Health, School of Nursing and Midwifery, Maragheh University of Medical Sciences, Maragheh, Iran. Mohammad Ali Sahraian, MD, MS Research Center, Neuroscience Institute, Tehran University of Medical Sciences, Tehran, Iran. Payman Salamati, MD, Sina Trauma and Surgery Research Center, Tehran University of Medical Sciences, Tehran, Iran. Abdallah M. Samy, PhD, Ain Shams University, Cairo, Egypt. Milena M. Santric Milicevic, PhD, Institute of Social Medicine, Faculty of Medicine, University of Belgrade, Belgrade, Serbia, Centre School of Public Health and Health Management, Faculty of Medicine, University of Belgrade, Belgrade, Serbia. Benn Sartorius, PhD, Public Health Medicine, School of Nursing and Public Health, University of KwaZulu-Natal, Durban, South Africa; UKZN Gastrointestinal Cancer Research Centre, South African Medical Research Council (SAMRC), Durban, South Africa. Sadaf G. Sepanlou, PhD, Digestive Diseases Research Institute, Tehran University of Medical Sciences, Tehran, Iran. Masood Ali Shaikh, PhD, Independent Consultant, Karachi, Pakistan. Diego Augusto Santos Silva, Federal University of Santa Catarina, Florianopolis, Brazil. Jasvinder A. Singh, MD, University of Alabama at Birmingham and Birmingham Veterans Affairs Medical Center, Birmingham, Alabama, USA. Badr H. A Sobaih, MD, King Saud University, Riyadh, Saudi Arabia. Konstantinos Stroupoulis, PhD, Alexandra General Hospital of Athens, Athens, Greece; Centre Hospitalier Public du Cotentin, Cherbourg, France. Rizwan Suliankatchi Abdulkader, MD, Ministry of Health, Kingdom of Saudi Arabia, Riyadh, Saudi Arabia. Cassandra E. I. Szoeki, PhD, Institute of Health and Ageing, The University of Melbourne, Melbourne, Victoria, Australia. Mohamad-Hani Tamsah, MD, King Saud University, Riyadh, Saudi Arabia. Bach Xuan Tran, PhD, Johns Hopkins University, Baltimore, Maryland, USA; Hanoi Medical University, Hanoi, Vietnam. Kingsley Nnanna Ukwaja, MD, Department of Internal Medicine, Federal Teaching Hospital, Abakaliki, Ebonyi State, Nigeria. Olalekan A. Uthman, PhD, Warwick Medical School, University of Warwick, Coventry, UK. Tommi Vasankari, PhD, UKK Institute for Health Promotion Research, Tampere, Finland. Vasily Victorovich Vlassov, MD, National Research University Higher School of Economics, Moscow, Russia. Stein Emil Vollset, DrPH, Center for Disease Burden, Norwegian Institute of Public Health, Bergen, Norway; Department of Global Public Health and Primary Care, University of Bergen, Bergen, Norway; Institute for Health Metrics and Evaluation, University of Washington, Seattle, WA, USA. Tolassa Wakayo, MS, Jimma

University, Jimma, Ethiopia. Robert G. Weintraub, MBBS, Royal Children's Hospital, Melbourne, VIC, Australia, The University of Melbourne, Melbourne, VIC, Australia, Murdoch Children's Research Institute, Melbourne, VIC, Australia. Priscilla R. Wessly, MD, Internal Medicine Department, Howard University Hospital, Washington, DC, USA. Tissa Wijeratne, MD, Western Health, Footscray, Victoria, Australia, University of Melbourne, Footscray, Victoria, Australia. Charles D.A. Wolfe, MD, Division of Health and Social Care Research, King's College London, London, UK; National Institute for Health Research Comprehensive Biomedical Research Centre, Guy's and St. Thomas' NHS Foundation Trust and King's College London, London, UK. Abdulhalik Workicho, MPH, Jimma University, Jimma, Ethiopia, Ghent University, Ghent, Belgium. Mohsen Yaghoubi, MSc, School of Public Health, University of Saskatchewan, Saskatoon, Saskatchewan, Canada. Yuichiro Yano, MD, Department of Preventive Medicine, Northwestern University, Chicago, Illinois, USA. Mehdi Yaseri, PhD, Tehran University of Medical Sciences, Tehran, Iran; Ophthalmic Research Center, Shahid Beheshti University of Medical Sciences, Tehran, Iran. Naohiro Yonemoto, MPH, Department of Biostatistics, School of Public Health, Kyoto University, Kyoto, Japan. Mustafa Z. Younis, Jackson State University, Jackson, MS, USA. Chuanhua Yu, PhD, Department of Epidemiology and Biostatistics, School of Public Health, Wuhan University, Wuhan, China; Global Health Institute, Wuhan University, Wuhan, China. Maysaa El Sayed Zaki, PhD, Faculty of Medicine, Mansoura University, Mansoura, Egypt. Aisha O. Jumaan, PhD, Independent Consultant, Seattle, Washington, USA. Theo Vos, PhD, Institute for Health Metrics and Evaluation, University of Washington, Seattle, Washington, USA. Gregory A. Roth, MD, Institute for Health Metrics and Evaluation, University of Washington, Seattle, Washington, USA. Simon I. Hay, DSc, Oxford Big Data Institute, Li Ka Shing Centre for Health Information and Discovery, University of Oxford, Oxford, UK; Institute for Health Metrics and Evaluation, University of Washington, Seattle, Washington, USA. Mohsen Naghavi, PhD, Institute for Health Metrics and Evaluation, University of Washington, Seattle, Washington, USA. Christopher J. L. Murray, DPhil, Institute for Health Metrics and Evaluation, University of Washington, Seattle, Washington, USA. Ali H. Mokdad, PhD, Institute for Health Metrics and Evaluation, University of Washington, Seattle, Washington, USA.

### Compliance with ethical standards

**Ethical standards** This manuscript reflects original work that has not previously been published in whole or in part and is not under consideration elsewhere. All authors have read the manuscript and have agreed that the work is ready for submission and accept responsibility for its contents. The authors of this paper have complied with all ethical standards and do not have any conflicts of interest to disclose at the time of submission. The funding source played no role in the design of the study, the analysis and interpretation of data, and the writing of the paper. The study did not involve human participants and/or animals; therefore, no informed consent was needed.

**Funding** This research was funded by the Bill & Melinda Gates Foundation.

**Conflict of interest** The authors declare that they have no conflicts of interest at this time.

**Open Access** This article is distributed under the terms of the Creative Commons Attribution 4.0 International License (<http://creativecommons.org/licenses/by/4.0/>), which permits unrestricted use, distribution, and reproduction in any medium, provided you give appropriate credit to the original author(s) and the source, provide a

link to the Creative Commons license, and indicate if changes were made.

## References

- Abd El-Aty MA, Meki FA, Morsi MM, Al-Lawati JA, El Sayed MK (2015) Hypertension in the adult Omani population: predictors for unawareness and uncontrolled hypertension. *J Egypt Public Health Assoc* 90(3):125–132. doi:[10.1097/01.EPX.0000470547.32952.cf](https://doi.org/10.1097/01.EPX.0000470547.32952.cf)
- Ahmad B, Fouad FM, Elias M, Zaman S, Phillimore P, Maziak W (2015) Health system challenges for the management of cardiovascular disease and diabetes: an empirical qualitative study from Syria. *Int J Public Health* 60(S1):55–62
- Barakat H, Barakat H, Baaj MK (2012) CVD and obesity in transitional Syria: a perspective from the Middle East. *Vasc Health Risk Manag* 8:145–150. doi:[10.2147/VHRM.S28691](https://doi.org/10.2147/VHRM.S28691)
- Barber RM, Fullman N, Sorensen RJD et al (2017) Healthcare Access and Quality Index based on mortality from causes amenable to personal health care in 195 countries and territories, 1990–2015: a novel analysis from the Global Burden of Disease Study 2015. *Lancet*. doi:[10.1016/S0140-6736\(17\)30818-8](https://doi.org/10.1016/S0140-6736(17)30818-8)
- Behnood-Rod A, Rabbanifar O, Pourzargar P et al (2016) Adherence to Antihypertensive Medications in Iranian Patients. *Int J Hypertens* 2016:1508752. doi: [10.1155/2016/1508752](https://doi.org/10.1155/2016/1508752)
- Dieleman JL, Baral R, Birger M et al (2016) US Spending on Personal Health Care and Public Health, 1996–2013. *JAMA* 316:2627–2646. doi:[10.1001/jama.2016.16885](https://doi.org/10.1001/jama.2016.16885)
- El Bcheraoui C, Basulaiman M, Tuffaha M et al (2014a) Status of the diabetes epidemic in the Kingdom of Saudi Arabia, 2013. *Int J Public Health* 59, pp. 1011–1021, doi: [10.1007/s00038-014-0612-4](https://doi.org/10.1007/s00038-014-0612-4)
- El Bcheraoui C, Memish ZA, Tuffaha M et al (2014b) Hypertension and its associated risk factors in the kingdom of Saudi Arabia, 2013: a national survey. *Int J Hypertens* 2014:564679. doi:[10.1155/2014/564679](https://doi.org/10.1155/2014/564679)
- GBD 2015 DALYs/HALE Collaborators (2016) Global, regional, and national disability-adjusted life-years (DALYs) for 315 diseases and injuries and healthy life expectancy (HALE), 1990–2015: a systematic analysis for the Global Burden of Disease Study 2015. *Lancet* 388(10053):1603–1658. doi:[10.1016/S0140-6736\(16\)31460-X](https://doi.org/10.1016/S0140-6736(16)31460-X)
- GBD 2015 Disease and Injury Incidence and Prevalence Collaborators (2016) Global, regional, and national incidence, prevalence, and years lived with disability for 310 diseases and injuries, 1990–2015: a systematic analysis for the Global Burden of Disease Study 2015. *Lancet* 388(10053):1545–1602. doi:[10.1016/S0140-6736\(16\)31678-6](https://doi.org/10.1016/S0140-6736(16)31678-6)
- GBD 2015 Mortality and Causes of Death Collaborators (2016) Global, regional, and national life expectancy, all-cause mortality, and cause-specific mortality for 249 causes of death, 1980–2015: a systematic analysis for the Global Burden of Disease Study 2015. *Lancet* 388(10053):1459–1544. doi:[10.1016/S0140-6736\(16\)31012-1](https://doi.org/10.1016/S0140-6736(16)31012-1)
- GBD 2015 SDGs Collaborators (2016) Measuring the health-related Sustainable Development Goals in 188 countries: a baseline analysis from the Global Burden of Disease Study 2015. *Lancet* 388(10053):1813–1850. doi:[10.1016/S0140-6736\(16\)31467-2](https://doi.org/10.1016/S0140-6736(16)31467-2)
- IHME (2016) Global Burden of Disease Study 2015 (GBD 2015) Data input sources tool. <http://ghdx.healthdata.org/gbd-2015/data-input-sources?locations=137&components=3&causes=491>. Accessed 10 June 2017

- Institute for Health Metrics and Evaluation (IHME) (2017) GBD Compare Data Visualization <https://vizhub.healthdata.org/gbd-compare>. Accessed 4 April 2017
- Khatib R, McKee M, Shannon H et al (2016) Availability and affordability of cardiovascular disease medicines and their effect on use in high-income, middle-income, and low-income countries: an analysis of the PURE study data. *The Lancet* 387, pp. 61–69, doi:10.1016/S0140-6736(15)00469-9
- Loney T, Aw T-C, Handysides DG et al (2013) An analysis of the health status of the United Arab Emirates: the ‘Big 4’ public health issues. *Global Health Action* 6(1):20100. doi:10.3402/gha.v6i0.20100
- Mensah GA, Roth GA, Sampson UKA et al. (2015) Mortality from cardiovascular diseases in sub-Saharan Africa, 1990–2013: a systematic analysis of data from the Global Burden of Disease Study 2013. *Cardiovasc J Afr* 26:S6–S10. doi:10.5830/CVJA-2015-036
- Moradi-Lakeh M, El Bcheraoui C, Daoud F et al (2016) Medication use for chronic health conditions among adults in Saudi Arabia: findings from a national household survey. *Pharmacoepidemiol Drug Saf* 25:73–81. doi:10.1002/pds.3904
- Najafipour H, Nasri HR, Afshari M et al (2014) Hypertension: diagnosis, control status and its predictors in general population aged between 15 and 75 years: a community-based study in southeastern Iran. *Int J Public Health* 59:999–1009. doi:10.1007/s00038-014-0602-6
- Nakagami T, Qiao Q, Tuomilehto J et al (2006) Screen-detected diabetes, hypertension and hypercholesterolemia as predictors of cardiovascular mortality in five populations of Asian origin: the DECODA study. *Eur J Cardiovasc Prev Rehabil Off J Eur Soc Cardiol Work Groups Epidemiol Prev Card Rehabil Exerc Physiol* 13:555–561. doi:10.1097/01.hjr.0000183916.28354.69
- Nichols M, Townsend N, Scarborough P, Rayner M (2014) Cardiovascular disease in Europe 2014: epidemiological update. *Eur Heart J* 35(42):2950–2959. doi:10.1093/eurheartj/ehu299
- Romdhane HB, Tlili F, Skhiri A, Zaman S, Phillimore P (2015) Health system challenges of NCDs in Tunisia. *Int J Public Health* 60(S1):39–46
- Roth GA, Huffman MD, Moran AE et al. (2015a) Global and regional patterns in cardiovascular mortality from 1990 to 2013. *Circulation* 132:1667–1678. doi:10.1161/CIRCULATIONAHA.114.008720
- Roth GA, Nguyen G, Forouzanfar MH, Mokdad AH, Naghavi M, Murray CJ (2015b) Estimates of global and regional premature cardiovascular mortality in 2025. *Circulation* 132(13):1270–1282. doi:10.1161/CIRCULATIONAHA.115.016021
- Shara NM (2010) Cardiovascular disease in Middle Eastern women. *Nutr Metabol Cardiovasc Dis* 20(6):412–418. doi:10.1016/j.numecd.2010.01.013
- Smith SC Jr (2011) Reducing the global burden of ischemic heart disease and stroke: a challenge for the cardiovascular community and the United Nations. *Circulation* 124(3):278–279. doi:10.1161/CIRCULATIONAHA.111.040170
- Uthman OA, Hartley L, Rees K, Taylor F, Ebrahim S, Clarke A (2015) Multiple risk factor interventions for primary prevention of cardiovascular disease in low- and middle-income countries. *Cochrane Database Syst Rev*. doi:10.1002/14651858.CD011163.pub2
- van Mourik MS, Cameron A, Ewen M, Laing RO (2010) Availability, price and affordability of cardiovascular medicines: a comparison across 36 countries using WHO/HAI data. *BMC Cardiovasc Disord* 10:25. doi:10.1186/1471-2261-10-25
- Wirtz VJ, Kaplan WA, Kwan GF, Laing RO (2016) Access to medications for cardiovascular diseases in low- and middle-income countries. *Circulation* 133(21):2076–2085. doi:10.1161/CIRCULATIONAHA.115.008722
- World Development Indicators database WB (2017) Gross national income per capita 2015, Atlas method and PPP. <http://databank.worldbank.org/data/download/GNIPC.pdf>. Accessed 10 June 2017
- World-Health-Organization (2010) Package of essential noncommunicable (PEN) disease interventions for primary health care in low-resource settings. [http://www.who.int/nmh/publications/essential\\_ncd\\_interventions\\_lr\\_settings.pdf](http://www.who.int/nmh/publications/essential_ncd_interventions_lr_settings.pdf). Accessed 4 Apr 2017



**Title: Burden of cardiovascular diseases in the Eastern Mediterranean Region, 1990–2015: Findings from the Global Burden of Disease 2015 study**  
**Group title: GBD 2015 Eastern Mediterranean Region Cardiovascular Disease Collaborators**

Prefix	First Name	Middle Name	Last Name	Email Address	Highest Degree	Department	Institution/Organization	Institution, Institution/Organization	Institution/Organization	Department 2	Department 2	Institution, Institution/Organization	Institution, Institution/Organization	Institution, Institution/Organization	Institution, Institution/Organization	
Dr.	Arash		Tehrani-Banihashemi	tehranib@gmail.com	PHD	Preventive Medicine and Public Health Research Center	Iran University of Medical Sciences	Tehran	Iran							
Dr.	Maziar		Moradi-Lakeh	mazmoradi@gmail.com	MD	Department of Community Medicine, Preventative Medicine	Iran University of Medical Sciences	Tehran	Iran							
Dr.	Charbel		El Bcheraoui	charbel@uw.edu	PHD	Institute for Health Metrics and Evaluation	University of Washington									
Dr.	Raghdid		Charara	raghdid@gmail.com	MD		American University of Beirut	Beirut	Lebanon							
Dr.	Ibrahim		Khalil	ikhali@uw.edu	MD	Institute for Health Metrics and Evaluation	University of Washington									
Dr.	Ashkan		Afshin	ashkan.afshin@gmail.com	MD	Institute for Health Metrics and Evaluation	University of Washington	Seattle	WA	United States						
Mr.	Michael		Collison	mic314@uw.edu	BS	Institute for Health Metrics and Evaluation	University of Washington	Seattle	Washington	United States						
Ms.	Farah		Daoud	farahd@uw.edu	BA/BS	Institute for Health Metrics and Evaluation	University of Washington									
Mr.	Kristopher J.		Krohn	kkrohn1@uw.edu	BA	Institute for Health Metrics and Evaluation	University of Washington	Seattle	Washington	United States						
Ms.	Adrienne		Chew	apchew@uw.edu	ND	Institute for Health Metrics and Evaluation	University of Washington									
Ms.	Leslie		Cornaby	lcomaby@uw.edu	BS	Institute for Health Metrics and Evaluation	University of Washington	Seattle	Washington	United States						
Dr.	Kyle J.		Foreman	kfor@uw.edu	PHD	Institute for Health Metrics and Evaluation	University of Washington	Seattle	Washington	United States		Imperial College London	London	United Kingdom		
Mr.	Joseph		Frostdad	jfrostda@uw.edu		Institute for Health Metrics and Evaluation	University of Washington									
Dr.	Nicholas J.		Kassebaum	nickjk@uw.edu	MD	Institute for Health Metrics and Evaluation	University of Washington	Seattle	Washington	United States	Department of Anesthesiology & Pain Medicine	Seattle Children's Hospital	Seattle	Washington	United States	
Mr.	Laura		Kemmer	laurakem@uw.edu	PHD	Institute for Health Metrics and Evaluation	University of Washington									
Mr.	Michael		Kutz	kutz13@uw.edu	BS	Institute for Health Metrics and Evaluation	University of Washington									
Mr.	Patrick		Liu	pyliu@uw.edu	BA	Institute for Health Metrics and Evaluation	University of Washington									
Ms.	Mojde		Mirarefin	mojde.mirarefin@gmail.com	MPH	Institute for Health Metrics and Evaluation	University of Washington	Seattle	WA	United States		Hunger Action Los Angeles	Los Angeles: CA	United States		
Mr.	Grant		Nguyen	gnguy@uw.edu	MPH	Institute for Health Metrics and Evaluation	University of Washington	Seattle	Washington	United States						
Dr.	Haidong		Wang	haidong@uw.edu	PHD	Institute for Health Metrics and Evaluation	University of Washington	Seattle	Washington	United States						
Mr.	Ben		Zipkin	zipkinb@uw.edu	BS	Institute for Health Metrics and Evaluation	University of Washington	Seattle	Washington	United States						
Mr.	Amanuel	Alemu	Abajobir	amanuel.abajobir@ucmph	MPH	School of Public Health	University of Queensland	Brisbane	QLD	Australia						
Dr.	Marian		Abouzeid	marian.abouzeid@tel	DPH		Telethon Kids Institute	Perth	West Bank	Palestine						
Dr.	Niveen	M.E.	Abu-Rmeileh	nrmeileh@birzeit.edu	PHD	Institute of Community and Public Health	Birzeit University	Ramallah	West Bank	Palestine						
Dr.	Alia		Alsharif	alsharif@charite.de	MD		Charité Universitätsmedizin	Berlin	Berlin	Germany						
Dr.	Alia		Alsharif	alsharif@charite.de	MD		Charité Universitätsmedizin	Berlin	Berlin	Germany						
Mr.	Mukhtar	Beshir	Ahmed	mukhtar27@yahoo.com	MPH	Department of Clinical Sciences	Lund University	Lund	Sweden	Sweden						
Dr.	Baran		Aksut	baranaks@hotmail.com	MD	College of Health Sciences, Department of Epidemiology, and	Jimma University	Jimma	Ethiopia	Ethiopia						
Dr.	Khurshid		Alam	khurshid.bd@gmail.com	PHD	Murdoch Childrens Research Institute	The University of Melbourne	Parkville	Victoria	Australia		The University of Melbourne	Melbourne VIC	Australia		
Ms.	Deena		Alasfoor	deena.alasfoor@me.c	MSc		Ministry of Health	Al Khuwair	Muscat	Oman						
Dr.	Raghib		Ali	raghib.ali@ndm.ox.ac	FRCP		University of Oxford	Oxford	United Kingdom	United Kingdom						
Dr.	Reza		Alizadeh-Navaei	reza_nava@yahoo.com	PHD	Gastrointestinal Cancer Research Center	Mazandaran University of Medical Sciences	Sari	Mazandaran	Iran						
Dr.	Rajaa		Al-Raddadi	saudiresearcher@yahoo	PHD		Joint Program of Family and Community Medicine	Jeddah	Makkah	Saudi Arabia						
Dr.	Ubai		Alsharif	ubai.al-sharif@charite	MPH		Charité Universitätsmedizin	Berlin	Berlin	Germany						
Dr.	Khalid	A.	Altirkawi	kaltirkaw@ksu.edu.sa	MD		King Saud University	Riyadh	Riyadh	Saudi Arabia						
Prof.	Nelson		Alvis-Guzman	nalvis@yahoo.com	PHD		Universidad de Cartagena	Cartagena	de Indias	Colombia						
Dr.	Nahla		Anber	nahlaanber@hotmail	PHD		Mansoura University	Mansoura	Egypt	Egypt						
Dr.	Palwasha		Anwari	anwari222@gmail.com	MD		Self-employed	Kabul	Kabul	Afghanistan						
Prof.	Johan		Ärnlov	johan.arnlov@medsci	PHD	Department of Neurobiology, Care Sciences and Society, D	Karolinska Institutet	Stockholm	Sweden	Sweden	School of Health and Social Studies	Dalarna University	Falun	Sweden		
Mr.	Solomon	Weldegebreal	Asgedom	solomon.asgedom@n	PHD		Mekelle University	Mekelle	Tigray	Ethiopia						
Mr.	Tesfay	Mehari	Atey	tesfay.mehari@mu.e	MS		Mekelle University	Mekelle	Tigray	Ethiopia						
Mr.	Ashish		Awasthi	ashishbhums@gmail	PHD		Sanjay Gandhi Postgraduate Institute of Medical Sciences	Lucknow	Uttar Pradesh	India						
Prof.	Till		Bärnighausen	tbaernig@hsph.harva	MD	Department of Global Health and Population, Harvard T H	Harvard University	Boston	MA	United States		Africa Health Research Institute	Mtubatuba	South Africa	Institute of Heidelberg Heidelberg	Germany
Mr.	Umar		Bacha	umar.bacha@umt.edi	PHD	School of Health Sciences	University of Management and Technology	Lahore	Pakistan	Pakistan						
Dr.	Aleksandra		Barac	aleksandrabarac85@g	PHD	Faculty of Medicine	University of Belgrade	Belgrade	Serbia	Serbia						
Dr.	Suzanne	L.	Barker-Collo	s.barker-collo@auckl	PHD	School of Psychology	University of Auckland	Auckland	new zealand	new zealand						
Dr.	Neeraj		Bedi	drnbedi@yahoo.com	MD		College of Public Health and Tropical Medicine	Jazan	Saudi Arabia	Saudi Arabia						
Dr.	Derrick	A.	Bennett	derrick.bennett@ctu	PHD	Nuffield Department of Population Health	University of Oxford	Oxford	United Kingdom	United Kingdom						
Mr.	Derbew	Fikadu	Berhe	derakorem@gmail.co	MS	School of Pharmacy	Mekelle University	Mekelle	Tigray	Ethiopia		Groningen	Groningen	Netherlands		
Mr.	Sibhatu		Biadgilign	sibhatu2010@gmail.c	MPH		Independent Public Health Consultants	Addis Ababa	Ethiopia	Ethiopia						
Dr.	Zahid	A.	Butt	zabut3@yahoo.com	PHD		Al Shifa Trust Eye Hospital	Rawalpindi	Punjab	Pakistan						
Prof.	Jonathan	R.	Carapetis	jcarapetis@icr.uwa	PHD	Telethon Kids Institute, Princess Margaret Hospital for Chil	The University of Western Australia	Subiaco	Western Australia	Australia						
Dr.	Ruben	Estanislaw	Castro	ruben.castro@udp.cl	PHD		Universidad Diego Portales	Santiago	Region Metropol	Chile						
Dr.	Abdulaal	A	Chitheer	abdulaaljetheer@yah	FETP		Ministry of Health	Baghdad	Iraq	Iraq						
Dr.	Kairat		Davletov	davletovkairat@gmai	PHD		Republican Institute of Cardiology and Internal Diseases	Almaty	Kazakhstan	Kazakhstan	School of Public Health	Kazakh National Medical University	Almaty	Kazakhstan		
Dr.	Samath	D.	Dharmaratne	samath62@yahoo.com	MD	Department of Community Medicine, Faculty of Medicine	University of Peradeniya	Peradeniya	Sri Lanka	Sri Lanka						
Dr.	Shirin		Djalalinia	shdjalinia@gmail.co	PHD	Undersecretary for Research & Technology	Ministry of Health & Medical Education	Tehran	Tehran	Iran						
Dr.	Huyen	Phuc	Do	huyen.ighi@gmail.co	MSc	Institute for Global Health Innovations	Duy Tan University	Da Nang	Vietnam	Vietnam						
Ms.	Manisha		Dubey	manikvdlw@gmail.co	MPHil		International Institute for Population Sciences	Mumbai	Maharashtra	India						
Miss	Hedyeh		Ebrahimi	hedyehb@gmail.com	MD	Non-Communicable Diseases Research Center	Tehran University of Medical Sciences	Tehran	Tehran	Iran	Liver and Pancreaticobiliary Diseases Research Center, Digestive Disease Research Institute, Shariati Hospital,	Tehran University of Medical Sciences	Tehran	Tehran	Iran	
Dr.	Babak		Eshrati	eshratib@sina.tums	aPHD	Endocrinology and Metabolism Research Center	Ministry of Health and Medical Education	Tehran	Tehran	Iran		Tehran University of Medical Sciences	Arak	Iran		
Prof.	Alireza		Esteghamati	esteghamati@tums	a MD		Tehran University of Medical Sciences	Tehran	Tehran	Iran						

Dr.	Maryam S	Farvid	mfarvid@hsph.harvard.edu	Department of Nutrition, Harvard T.H. Chan School of Public Health	Harvard University	Boston	MA	United_States	Harvard/MGH Center on Genomics, Vulnerable Populations, and Health Disparities, Mongan Institute for Health Policy, Massachusetts General Hospital	Boston	MA	United_States	
Dr.	Seyed-Mohammad Florian	Fereshtehnejad Fischer	sm.fereshtehnejad@phd.f.fischer@uni-bielefeld.de	Department of Neurobiology, Care Sciences and Society (NKarolinska Institutet School of Public Health)	Bielefeld University	Stockholm		Sweden					
Mr.	Solomon Weldemariam	Gebrehiwot	solomonweldemariam@ms.tsegaye.tewelde@yaf MPH	College of Health Sciences	Mekelle University	Mekelle		Ethiopia					
Mr.	Tsegaye Tewelde	Gibru	tsegaye.tewelde@yaf MPH		Jimma University	Jimma	Oromia	Ethiopia					
Dr.	Richard F	Gillum	rfg2.howard.edu@gm MD		Howard University	Washington DC		United_States					
Prof.	Philimon N	Gona	philgonag@gmail.com	PHD	University of Massachusetts Boston	Boston		United_States					
Dr.	Rajeev	Gupta	rajeevgg@gmail.com	PHD	Eternal Heart Care Centre and Research Institute	Jaipur	Rajasthan	India					
Dr.	Nima	Hafezi-Nejad	nimahn@gmail.com	MD	Tehran University of Medical Sciences	Tehran	Tehran	Iran					
Prof.	Randah Ribhi	Hamadeh	randah@agu.edu.bh	DPhil	Arabian Gulf University	Manama		Bahrain					
Dr.	Samer	Hamidi	s.hamidi@hbmsu.ac.ir	MD	Hamdan Bin Mohammed Smart University	Dubai		United_Arab_Emirates					
Prof.	Mohamed	Hsairi	mohamed.hsairi@rns MD	Department of Epidemiology	Salah Azaiz Institute	Tunis	Tunis	Tunisia					
Prof.	Sun Ha	Jee	jsunha@yuhs.ac	PHD	Yonsei University	Seoul		South_Korea					
Prof.	Jost B	Jonas	Jost.Jonas@medma.uni MD	Department of Ophthalmology, Medical Faculty Mannheim	Ruprecht-Karls-University Heidelberg	Mannheim	Germany	Germany					
Dr.	Chante	Karimkhani	ck2525@caa.columbia.edu	MD	Case Western University Hospitals	Cleveland	Ohio	United_States					
Dr.	Amir	Kasaeian	amir_kasaeian@yahoo.com	PHD	Hematology-Oncology and Stem Cell Transplantation Research	Tehran	Tehran	Iran	Endocrinology and Metabolism Population Sciences Institute	Tehran University of Medical Sciences	Tehran	Tehran	Iran
Prof.	Yusef Saleh	Khader	yshkader@just.edu.jo	SCD	Department of Community Medicine, Public Health and Family Medicine	Irbid	Irbid	Jordan					
Dr.	Ejaz Ahmad	Khan	ejaz@hsa.edu.pk	MD	Health Services Academy	Islamabad	Punjab	Pakistan					
Prof.	Daniel	Kim	daniel.kim@post.harvard.edu	DRPH	Department of Health Sciences	Boston	Massachusetts	United_States					
Dr.	Dharmesh Kumar	Lal	dharmeshlal@yahoo.com	MD	Public Health Foundation of India	Gurgaon		India					
Dr.	Heidi J.	Larson	Heidi.Larson@lshtm.ac.uk	PHD	Department of Infectious Disease Epidemiology	London		United_Kingdom	Institute for Health Metrics and Evaluation	University of Washington	Seattle	WA	United_States
Dr.	Asma	Latif	asmaLatif@hotmail.com	PHD	Department of Zoology	Lahore	Punjab	Pakistan					
Prof.	Shai	Linn	linnshai@gmail.com	MD	University of Haifa	Haifa		Israel					
Prof.	Paulo A.	Lotufo	palotufo@usp.br	DRPH	University of São Paulo	São Paulo	São Paulo	Brazil					
Prof.	Raimundas Hassan	Lunevicius	rlunevicius@yahoo.com	PHD	Aintree University Hospital National Health Service Foundation	Liverpool		United_Kingdom	School of Medicine	University of Liverpool	Liverpool		United_Kingdom
Dr.	Magdy Abd El Razek	Majeed	farreha2013@hotmail.com	MBBCH	Mansoura Faculty of Medicine	Mansoura		Egypt					
Prof.	Azadeh	Majeed	a.majeed@imperial.ac.uk	MD	Imperial College London	London	England	United_Kingdom					
Prof.	Reza	Malekzadeh	malek@tums.ac.ir	MD	Tehran University of Medical Sciences	Tehran		Iran					
Prof.	Deborah Carvalho	Malta	dcmalta@uol.com.br	PHD	Universidade Federal de Minas Gerais	Belo Horizonte	Minas Gerais	Brazil					
Dr.	Toni	Meier	toni.meier@nutrition.phd	PHD	Martin Luther University Halle-Wittenberg	Halle (Saale)	Saxony-Anhalt	Germany					
Dr.	Peter	Memiah	pmemiah@uwf.edu	PHD	University of West Florida	Pensacola	FL	United_States					
Prof.	Ziad A.	Memish	zmemish@yahoo.com	MD	Saudi Ministry of Health	Riyadh		Saudi_Arabia	College of Medicine	Alfaisal University	Riyadh		Saudi_Arabia
Dr.	Walter George A.	Mendoza Mensah	mendoza@unfpa.org	MD	United Nations Population Fund	Lima		Peru					
Dr.	Atte	Meretoja	atte.meretoja@unimk.fi	PHD	Center for Translation Research and Implementation Science	National Institutes of Health	Bethesda	MD	United_States	Department of Neurology	Helsinki University Hospital	Helsinki	Finland
Dr.	Ted R	Miller	miller@pire.org	PHD	Pacific Institute for Research & Evaluation	Calverton	MD	United_States	Department of Health	Helsinki University Hospital	Helsinki		Finland
Prof.	Erkin M	Mirrahimov	erkmirr@gmail.com	PHD				Kyrgyzstan	Institute of Public Health	Heidelberg University	Heidelberg	Baden Wurttemberg	Germany
Dr.	Shafiu	Mohammed	shafiudot@gmail.com	PHD	Health Systems and Policy Research Unit	Ahmadu Bello University	Zaria	Kaduna	Nigeria				
Dr.	Quyen Le	Nguyen	quyen.ighi@gmail.com	MD	Institute for Global Health Innovations	Duy Tan University	Da Nang	Vietnam					
Dr.	Vuong Minh	Nong	vuong.ighi@gmail.com	MSc	Institute for Global Health Innovations	Duy Tan University	Da Nang	Vietnam					
Dr.	Jonathan	Pearson-Stuttard	j.pearson-stuttard@imperial.ac.uk	MD	Imperial College London	London		United_Kingdom					
Mr.	Farhad	Pishgar	F-Pishgar@student.tu.md	MD	Non-Communicable Diseases Research Center	Tehran	Tehran	Iran	Uro-Oncology Research Center	Tehran University of Medical Sciences	Tehran	Tehran	Iran
Dr.	Farshad	Pourmalek	farshad.pourmalek@phd	PHD	Non-Communicable Diseases Research Center	University of British Columbia	Vancouver	British Columbia					
Dr.	Mostafa	Qorbani	mqorbani1379@gmail.com	PHD	Non-Communicable Diseases Research Center	Alborz University of Medical Sciences	Karaj	Iran					
Dr.	Amir	Radfar	aradfar@atsu.edu	MD	Non-Communicable Diseases Research Center	A T Still University	Kirkville	MO	United_States				
Dr.	Anwar	Rafay	rafay.aku.epibio@gm	MS	Sina Trauma and Surgery Research Center	Contech International Health Consultants	Lahore	Punjab	Pakistan	Contech School of Public Health	Lahore	Punjab	Pakistan
Prof.	Vafa	Rahimi-Movaghar	v_rahimi@tums.ac.ir	MD	Sina Trauma and Surgery Research Center	Tehran University of Medical Sciences	Tehran	Tehran					
Mr.	Rajesh Kumar	Rai	rajesh.ips28@gmail.com	MPH	Society for Health and Demographic Surveillance		Suri	West Bengal	India				
Prof.	Saleem M	Rana	smrmep@gmail.com	PHD					Kyrgyzstan	Contech International Health Consultants	Lahore	Punjab	Pakistan
Dr.	David Laith	Rawaf	drawaf@ic.ac.uk	MD, MBBS	WHO Collaborating Centre	Imperial College London	London	United_Kingdom	Contech International Health Consultants	North Hampshire Hospitals	Lahore	Punjab	Pakistan
Prof.	Salman	Rawaf	s.rawaf@imperial.ac.uk	MD	WHO Collaborating Centre	Imperial College London	London	United_Kingdom					
Prof.	Andre M.N.	Renzaho	andre.renzaho@westphd	PHD	School of Public Health	Western Sydney University	Locked Bag NSW	Australia					
Dr.	Satar	Rezaei	satar.rezaei@kums.ac.ir	PHD	School of Public Health	Kermanshah University of Medical Sciences	Kermanshah	Iran					
Dr.	Kedir Teji	Roba	kedir.t.robai@gmail.com	PHD	School of Public Health	Haramaya University	Harar	Eastern Ethiopia	Ethiopia				
Dr.	Gholamreza Mahdi	Roshandel Safdarian	roshandel_md@yahoo.com	PHD	Golestan Research Center of Gastroenterology and Hepatology	Golestan University of Medical Sciences	Gorgan	Iran	Digestive Diseases Research Institute	Tehran University of Medical Sciences	Tehran		Iran
Dr.	Mahdi	Safdarian	mahdisafdarian@gmail.com	MD	Sina Trauma & Surgery Research Center	Tehran University of Medical Sciences	Tehran	Iran					

Ms. Dr. Prof. Dr.	Sare Saëid Mohammad Ali Payman Abdallah M.	Safi Safiri Sahraian Salamati Samy	sare.safi@yahoo.com MS saeidsafiri@gmail.com PHD sahraian1350@yahoo.com MD psalamati@tums.ac.ir MD asamy.ku@fulbrighter PHD	Ophthalmic Epidemiology Research Center Managerial Epidemiology Research Center, Department of MS Research Center, Neuroscience Institute Sina Trauma and Surgery Research Center	Shahid Beheshti University of Medical Sciences Maragheh University of Medical Sciences Tehran University of Medical Sciences Tehran University of Medical Sciences Ain Shams University	Tehran Maragheh Tehran Tehran Cairo	Iran Iran Iran Iran Egypt				Lawrence	Kansas	United_States	
Dr.	Milena M	Santric Milicevic	milena.santric-milicev PHD	Institute of Social Medicine, Faculty of Medicine	University of Belgrade	Belgrade	Serbia	Serbia	Centre School of Public Health and Health Management, Faculty of Medicine	University of Belgrade	Belgrade	Serbia	Serbia	
Prof. Dr. Dr. Dr. Dr. Dr. Dr.	Benn Sadaf Masood Ali Diego Augusto Jasvinder A. Badr	Sartorius Sepanlou Shaikh Silva Singh Sobalh	sartorius@ukzn.ac.za PHD sepanlou@yahoo.com PHD masoodalishaiikh@gmail MD diegoaugustoss@yahoo PHD jasvinder.md@gmail.com MD bsobalh@ksu.edu.sa MD	Public Health Medicine, School of Nursing and Public Health Digestive Diseases Research Institute	University of KwaZulu-Natal Tehran University of Medical Sciences Independent Consultant Federal University of Santa Catarina University of Alabama at Birmingham and Birmingham Vet king Saud university	Durban Tehran Karachi Florianopolis - SANTA CATA Birminghar Alabama Riyadh middle province	South_Africa Iran Pakistan Brazil United_States Saudi_Arabia		South African Medical Research Council (SAMRC)	Durban		South_Africa		
Dr. Dr. Prof. Dr.	Konstantinos Rizwan Cassandra E Mohamad-Hani	Stroupoulis Sullankatchi Abdulkader Zsoeke Temsah	arkaskostas@yahoo.g PHD sarizwan1986@gmail MD cszoeke@unimelb.ed PHD Temsah1@yahoo.com MD	Institute of Health and Ageing	Alexandra General Hospital of Athens Ministry of Health, Kingdom of Saudi Arabia The University of Melbourne King Saud University	Athens Riyadh Melbourne Victoria Riyadh	Greece Saudi_Arabia Australia Saudi_Arabia		Centre Hospitalier Public du Cotentin	Cherbourg		France		
Dr. Dr. Dr. Prof. Prof.	Bach Kingsley Oleakan Tommi Vasily	Xuan Nnanna A Uthman Vasankari Vlassov	bach@jhu.edu PHD ukwajakingsley@yahoo MD oleakan.uthman@warwick.ac.uk PHD tommi.vasankari@utu PHD vlassov@cochrane.ru MD	Department of Internal Medicine Warwick Medical School	Johns Hopkins University Federal Teaching Hospital University of Warwick UKK Institute for Health Promotion Research National Research University Higher School of Economics	Baltimore Abakaliki Coventry Tampere Moscow	Maryland Ebonyi State United_Kingdom Finland Russia		Hanoi Medical University	Hanoi		Vietnam		
Prof. Mr.	Stein Emil Tolassa	Vollset Wakayo	vollset@uib.no DrPH wakayotolassa@yahoo MS	Center for Disease Burden	Norwegian Institute of Public Health Jimma University	Bergen Jimma	Norway Ethiopia		Department of Global Public Health and Primary Care	University of Bergen	Bergen	Norway	Institute fo University (Seattle WA)	United_States
Dr. Dr.	Robert Priscilla	G Weintraub Wessly	robert.weintraub@rc MBBS pwessly7@gmail.com MD	Internal Medicine Department	Royal Children's Hospital Howard University Hospital	Melbourne VIC Washington DC	Australia United_States		The University of Melbourne	Melbourne VIC		Australia	Murdoch C Melbourne VIC	Australia
Prof.	Tissa	Wijeratne	twi@unimelb.edu.au MD		Western Health	Footscray	Victoria	Australia	University of Melbourne	Footscray	Victoria	Australia		
Prof. Mr. Mr. Dr.	Charles Abdulhalik Mohsen Yuichiro	D.A. Wolfe Workicho Yaghoubi Yano	charles.wolfe@kcl.ac MD abdulhalikw@gmail.com MPH mohsen.yaghoubi@uMSc yyano@jichi.jp MD	Division of Health and Social Care Research School of Public Health Department of Preventive Medicine	King's College London Jimma University University of Saskatchewan Northwestern University	London Jimma Saskatoon Chicago	London Oromia Saskatchewan Illinois	United_Kingdom Ethiopia Canada United_States	National Institute for Health Research Comprehensive Biomedical Research Centre	Guy's & St. Thomas' NHS Foundation Trust and King's College London Ghent University	London Ghent Tehran	United_Kingdom Belgium Iran		
Dr. Mr. Prof.	Mehdi Naohiro Mustafa	Z Yaseri Yonemoto Younis	myaseri@tums.ac.ir PHD nyonemoto@gmail.com MPH younis68@hotmail.com DrPH	Department of Biostatistics, School of Public Health	Tehran University of Medical Sciences Kyoto University Jackson State University	Tehran Kyoto Jackson	Tehran Japan United_States		Ophthalmic Research Center	Shahid Beheshti University of Medical Sciences	Tehran	Tehran	Iran	
Prof. Prof. Dr. Prof. Dr. Prof. Prof. Prof. Prof. Prof. Prof. Prof.	Chuanhua Maysaa Aisha Theo Gregory Simon I. Molisen Christophe J. Ali	El Sayed O Jumaan Vos Roth Hay Naghavi Murray Mokdad	yuchua@whu.edu.cn PHD may_s65@hotmail.com PHD aishaaj@gmail.com PHD tvos@uw.edu PHD rothg@uw.edu MD sihay@uw.edu DSC naghham@uw.edu PHD cjim@uw.edu DPhil mokdaa@uw.edu PHD	Department of Epidemiology and Biostatistics, School of Public Health Faculty of Medicine Institute for Health Metrics and Evaluation Institute for Health Metrics and Evaluation Institute for Health Metrics and Evaluation Institute for Health Metrics and Evaluation	Wuhan University Mansoura University Independent Consultant University of Washington University of Washington University of Washington University of Oxford	Wuhan Mansoura Seattle Seattle Seattle Seattle Seattle	Hubei Washington United_States Washington United_States Washington United_States	China United_States United_States United_States United_States United_States	Global Health Institute	Wuhan University	Wuhan	Hubei	China	
Prof. Prof. Prof. Prof.	Simon I. Molisen Christophe J. Ali	I. Hay Naghavi Murray Mokdad	sihay@uw.edu DSC naghham@uw.edu PHD cjim@uw.edu DPhil mokdaa@uw.edu PHD	Institute for Health Metrics and Evaluation Institute for Health Metrics and Evaluation Institute for Health Metrics and Evaluation	University of Washington University of Washington University of Washington	Oxford Seattle Seattle Seattle	United_Kingdom United_States United_States		Institute for Health Metr	University of Washington	Seattle	Washington	United_States	



## Electronic Supplementary Material

**Article title:**

Burden of cardiovascular diseases in the Eastern Mediterranean Region, 1990–2015: Findings from the Global Burden of Disease 2015 study

**Journal:**

International Journal of Public Health

**Authors:**


GBD 2015 Eastern Mediterranean Region Cardiovascular Disease Collaborators

**Corresponding author:**


Ali H. Mokdad

Institute for Health Metrics and Evaluation, University of Washington, Seattle, WA, United States


Email: [mokdaa@uw.edu](mailto:mokdaa@uw.edu)



Electronic supplementary figure S1. Top-ranked cardiovascular diseases, by death rates, Global Burden of Disease study, Eastern Mediterranean Region, 2015



Electronic supplementary figure S2. Age-standardized rates of disability-adjusted life years for different cardiovascular diseases in the Global Burden of Disease study, Eastern Mediterranean Region, 2015



Electronic supplementary figure S3. Number of disability-adjusted life years for different cardiovascular diseases, Global Burden of Disease study, Eastern Mediterranean Region, 2015

**Electronic supplementary table S1. International Classification of Disease (ICD) 10 codes used for modeling of cardiovascular diseases, Global Burden of Disease, Eastern Mediterranean Region, 1990–2015**

Cause	Cause of death ICD-10 codes	Morbidity cause ICD-10 codes
Rheumatic heart disease	I01-I01.9, I02.0, I05-I09.9	I01-I01.2, I01.8-I01.9, I02.0, I05-I05.2, I05.8-I05.9, I06-I06.2, I06.8-I06.9, I07-I07.2, I07.8-I07.9, I08-I08.3, I08.8-I08.9, I09-I09.2, I09.8-I09.9
Ischemic heart disease	I20-I25.9	I21-I21.4, I21.9, I22-I22.2, I22.8-I22.9
Cerebrovascular disease	G45-G46.8, I60-I61.9, I62.0-I62.03, I63-I63.9, I65-I66.9, I67.0-I67.3, I67.5-I67.6, I68.1-I68.2, I69.0-I69.398	I68-I68.2, I69-I69, I69-I69.3 I60-I60.9, I61-I61.6, I61.8-I61.9, I62.0, I63-I63.6, I63.8-I63.9, I67-I67.7
Hypertensive heart disease	I11-I11.9	
Cardiomyopathy and myocarditis	A39.52, B33.2-B33.24, D86.85, I40-I43.9, I51.4-I51.5	A39.5, B33.2, I40-I40.1, I40.8-I40.9, I41-I41.2, I41.8-I41.9, I51.4-I51.6
Atrial fibrillation and flutter	I48-I48.92	I48-I48.4, I48.9
Aortic aneurysm	I71-I71.9	-
Peripheral vascular disease	I70.2-I70.799, I73-I73.9	I70-I70.9, I73-I73.1, I73.8-I73.9
Endocarditis	A39.51, I33-I33.9, I38-I39.9	A32.8, A39.5, A52.0, B33.2, B37.6, I33.0, I33.9, I38.0, I38.9, I39-I39.4, I39.8-I39.9, M32.1
Other cardiovascular and circulatory diseases	A39.5-A39.50, A39.53, I28-I28.8, I30-I31.1, I31.8-I32.8, I34-I37.9, I47-I47.9, I51.0-I51.3, I68.0, I72-I72.9, I77-I83.93, I86-I89.9, I91.9, I98	-

**Electronic supplementary table S2. Age-standardized years of life lost (YLL) and years lived with disability (YLD) rates and YLL/YLD ratios for cardiovascular diseases in 1990 and 2015, Global Burden of Disease study, Eastern Mediterranean Region, 1990–2015**

country	Age-standardized YLD rate per 100,000				Age-standardized YLL rate per 100,000				YLL/YLD ratio 1990	YLL/YLD ratio 2015
	1990		2015		1990		2015			
	rate	95% UI	rate	95% UI	rate	95% UI	rate	95% UI		
EMR	461.1	329.8–605.4	460.6	329.2–603.6	9,618.7	9,148.6–10,141.7	8,145.0	7,628.6–8,744.3	20.9	17.7
Afghanistan	440.3	318.6–574.6	438.1	314.5–570.5	21,817.9	17,140.4–26,735.3	21,426.2	17,105.2–26,544.7	49.6	48.9
Bahrain	401.4	284.4–524.5	418.2	297.7–552.8	7,685.1	6,831–8,548	2,863.3	2,430.6–3,346.3	19.1	6.8
Djibouti	559.2	395.5–757.5	554.6	395.5–746	7,332.3	4,617.7–11,087	6,558.2	3,448.4–11,506.3	13.1	11.8
Egypt	428.7	305.1–565.1	448.0	321.4–586.4	10,801.9	10,366.2–11,107.8	8,378.2	8,110.4–8,728.3	25.2	18.7
Iran	721.0	503.4–959.2	688.1	483.3–924.9	9,129.0	8,090.8–10,182.6	6,491.5	5,394.7–7,642.1	12.7	9.4
Iraq	456.9	326.6–598	466.9	334.8–608.2	12,056.5	10,242.9–14,137.6	10,777.1	8,670.2–13,228.3	26.4	23.1
Jordan	403.2	285.6–530.2	399.1	283.8–526.1	7,289.6	6,388.7–8,602.4	3,678.5	3,298.9–4,139.9	18.1	9.2
Kuwait	374.1	266.1–492.4	394.9	280–520.2	4,444.7	4,205.2–4,660.4	3,489.3	3,042.6–4,006.4	11.9	8.8
Lebanon	372.1	267.1–490.1	378.8	270.6–502	8,420.6	7,012.7–10,036.1	3,835.0	2,836–4,865.4	22.6	10.1
Libya	416.6	296.4–549.4	443.5	313.4–585.2	5,967.8	5,327.7–6,623.2	5,194.9	4,544.6–5,887.9	14.3	11.7
Morocco	552.2	391.5–732.2	567.4	401.3–754	6,670.2	5,955.4–7,493.9	4,410.1	3,460.8–5,669.6	12.1	7.8
Oman	1,229.4	855.2–1,673.3	1,261.0	874.6–1,722.1	7,174.9	5,614.9–8,765.2	4,701.4	3,900.4–5,380.3	5.8	3.7
Pakistan	348.1	252–453.7	355.3	254.9–463.4	9,098.2	7,952.4–10,431.4	9,572.7	8,303–10,939.4	26.1	26.9
Palestine	347.6	246.6–454.8	364.1	256.4–477.9	7,915.8	6,403.1–10,027.4	6,916.5	5,530.1–8,331.7	22.8	19.0
Qatar	409.5	289–543.4	421.8	298.7–558.1	5,464.0	4,828.8–6,151.1	2,591.8	2,074.5–3,270.7	13.3	6.1
Saudi Arabia	425.8	305.5–561.9	448.1	320.1–593.4	4,859.2	4,353.2–5,398.8	3,555.2	3,225.5–3,927.2	11.4	7.9
Somalia	522.8	373.6–702.8	518.8	376–694.3	10,240.0	3,323–20,520.4	8,543.6	2,851.4–18,507.3	19.6	16.5

Sudan	465.9	331–610.7	483.8	344.6–636.8	12,348.5	10,217.2–15,010	9,339.8	7,003.3– 12,265.6	26.5	19.3
Syria	332.2	239.9–435.2	362.5	259.3–476.4	10,879.3	9,542.3–12,690.9	6,914.9	5,931.1–7,816.3	32.7	19.1
Tunisia	480.8	342.4–635.2	502.8	356.8–664	4,887.2	4,531.2–5,289.7	3191.8	2,585.5–3,844.4	10.2	6.3
UAE	296.8	215.2–385.9	285.8	206.5–374	7,681.5	5,980.5–9,984.8	5898.8	4,674.6–7,504.8	25.9	20.6
Yemen	444.1	319.4–583.2	451.0	323.8–591.8	14,271.2	8,961.1–20,938.8	11241.8	6,821.5– 17,849.8	32.1	24.9