



# Diabetes mellitus and chronic kidney disease in the Eastern Mediterranean Region: findings from the Global Burden of Disease 2015 study

GBD 2015 Eastern Mediterranean Region Diabetes and CKD Collaborators ·  
Ali H. Mokdad<sup>1</sup>

Received: 1 May 2017/Revised: 30 June 2017/Accepted: 1 July 2017  
© The Author(s) 2017. This article is an open access publication

## Abstract

**Objectives** We used findings from the Global Burden of Disease 2015 study to update our previous publication on the burden of diabetes and chronic kidney disease due to diabetes (CKD-DM) during 1990–2015.

**Methods** We extracted GBD 2015 estimates for prevalence, mortality, and disability-adjusted life years (DALYs) of diabetes (including burden of low vision due to diabetes, neuropathy, and amputations and CKD-DM for 22 countries of the EMR from the GBD visualization tools. **Results** In 2015, 135,230 (95% UI 123,034–148,184) individuals died from diabetes and 16,470 (95% UI 13,977–18,961) from CKD-DM, 216 and 179% increases, respectively, compared to 1990. The total number of people with diabetes was 42.3 million (95% UI 38.6–46.4 million) in 2015. DALY rates of diabetes in 2015 were significantly higher than the expected rates based on Socio-demographic Index (SDI).

**Conclusions** Our study showed a large and increasing burden of diabetes in the region. There is an urgency in dealing

with diabetes and its consequences, and these efforts should be at the forefront of health prevention and promotion.

**Keywords** Diabetes · Chronic kidney disease · Burden of disease · Eastern Mediterranean Region

## Introduction

Diabetes is an important cause of disability and death around the world and is a major risk factor for other diseases (GBD 2015 DALYs/HALE Collaborators 2016; Moradi-Lakeh et al. 2016b). The World Health Organization Eastern Mediterranean Region (EMR) has the highest age-standardized rate of disability-adjusted life years (DALYs) from diabetes (GBD 2015 DALYs/HALE Collaborators 2016; Institute for Health Metrics and Evaluation 2016). Analysis of the global burden of disease (GBD) 2013 study showed that the increasing burden of diabetes in the EMR in recent decades is beyond that expected based on the demographic changes of population growth and aging, and is also due to increases in age-specific DALY rates (Mokdad et al. 2016; Moradi-Lakeh et al. 2016b). This increasing trend has been reported by other studies as well (Sozmen et al. 2015) and is mainly because of the epidemics of obesity and physical inactivity as the main risk factors for type 2 diabetes mellitus (Mokdad et al. 2014, 2016; Sozmen et al. 2015).

Tracking of personal health spending in the United States shows that diabetes imposes the highest health care spending (Dieleman et al. 2016). International Diabetes Federation estimated US \$17.1–27.7 billion is spent annually in the Middle East and North Africa on diabetes, an amount which is expected to double by 2040 (IDF

---

Corresponding author: Ali H. Mokdad.

---

This article is part of the supplement “The state of health in the Eastern Mediterranean Region, 1990–2015”.

---

GBD 2015 Eastern Mediterranean Region Diabetes and CKD Collaborators are listed at the end of the article.

---

**Electronic supplementary material** The online version of this article (doi:10.1007/s00038-017-1014-1) contains supplementary material, which is available to authorized users.

---

✉ Ali H. Mokdad  
mokdaa@uw.edu

<sup>1</sup> Institute for Health Metrics and Evaluation, University of Washington, Seattle, WA, USA

2015). In this report, we present estimates of the burden of diabetes mellitus and chronic kidney disease due to diabetes mellitus (CKD-DM) from the Global Burden of Disease 2015 study.

## Methods

GBD 2015 covers 195 countries, 21 regions, and seven super-regions from 1990 to 2015 for 315 diseases and injuries, 2619 sequelae, and 79 risk factors by age and sex. Detailed descriptions of GBD 2015 methodology and specific diabetes mellitus methodology have been provided elsewhere (GBD 2015 DALYs/HALE Collaborators 2016; GBD 2015 Disease and Injury Incidence and Prevalence Collaborators 2016; Duncan et al. 2017; Moradi-Lakeh et al. 2016b; GBD 2015 Causes of Death Collaborators 2016).

We evaluated the burden of diabetes and CKD-DM in 22 EMR countries: Afghanistan, Bahrain, Djibouti, Egypt, Iran, Iraq, Jordan, Kuwait, Lebanon, Libya, Morocco, Pakistan, Palestine, Qatar, Saudi Arabia, Somalia, Sudan, Syria, Tunisia, United Arab Emirates (UAE) and Yemen. The total population of the EMR is over 580 million people.

Diabetes mellitus in GBD is considered both as a disease and a metabolic risk factor. In this study, we focus on its burden as a disease. The burden of uncomplicated diabetes, vision loss caused by diabetes (moderate low vision, severe low vision, and blindness), diabetic neuropathy, diabetic foot due to neuropathy, and amputation are included in the burden of diabetes (Duncan et al. 2017; Moradi-Lakeh et al. 2016b). Also, we estimated burden of CKD-DM as part of the chronic kidney disease burden.

All-cause mortality envelopes (total number of deaths) were first estimated for each country during the period of 1990–2015. For this purpose, we used all accessible data from vital registration systems, sibling history surveys, sample registration data, and household recall of deaths. We extracted causes of death data from the same sources, as well as available verbal autopsies, and then used cause of death ensemble modeling to estimate the number of deaths from diabetes and CKD-DM by age, sex, country, and year (GBD 2015 DALYs/HALE Collaborators 2016; Duncan et al. 2017; Moradi-Lakeh et al. 2016b). In this approach, a large variety of possible models are explored to estimate trends in causes of death. Possible models are identified based on a covariate selection algorithm that yields several plausible combinations of covariates; they are then run through different model classes, including mixed effects linear models and spatiotemporal Gaussian process regression models for cause fractions and death rates. All models for each cause of death are then assessed

using out-of-sample predictive validity and combined into an ensemble with optimal out-of-sample predictive performance (Foreman et al. 2012).

We updated our previous systematic review for the GBD study separately for non-fatal outcomes of diabetes mellitus and CKD-DM. Data on incidence, prevalence, and excess mortality were extracted from data sources. We assumed no remission for diabetes. Bayesian meta-regression analysis through DisMod-MR 2.1 was used for disease modeling. Model-based epidemiological estimates in combination with disability weights were used to calculate cause-specific years lived with disability (YLDs) for each age, sex, location, and year. DALYs were calculated through summation of years of life lost (YLLs) and YLDs (GBD 2015 DALYs/HALE Collaborators 2016; GBD 2015 Disease and Injury Incidence and Prevalence Collaborators 2016).


In GBD 2015, we used country-location estimates of a composite Socio-demographic Index (SDI) based on the geometric mean of income per capita, average years of schooling in individuals older than 15 years, and total fertility rate. The numbers were rescaled to a number between zero and one, based on highest and lowest country-location measures. In 2015, SDI had a range between 0.1506 (Somalia) and 0.8747 (United Arab Emirates) in the EMR. We used SDI to estimate expected burden for each disease based on the demographic and social conditions of each country in each year (GBD 2015 DALYs/HALE Collaborators 2016).

We report 95% uncertainty intervals (UI) for each estimate, including rates, numbers of deaths, and DALYs. We estimated UIs by taking 1000 samples from the posterior distribution of each quantity and using the 25th and 975th-ordered draw of the uncertainty distribution.


## Results

In 2015, 135,230 (95% UI 123,034–148,184) individuals died from diabetes and 16,470 (95% UI 13,977–18,961) from CKD-DM in the EMR. These numbers represent 216 and 179% increases in the number of deaths due to diabetes and CKD-DM, respectively, compared to 1990. Figure 1 shows this increasing trend is not only for the number of deaths, but also for all ages and age-standardized mortality rates.

The total number of people with diabetes in the EMR in 2015 was 42.3 million (95% UI 38.6–46.4 million). The highest prevalence rates of DM and CKD-DM were observed among those aged 70–79 years old; however, the highest numbers of cases were among the younger age groups. The patterns of prevalence were similar in both sexes (Fig. 2).



**Fig. 1** Trend of number of deaths, all-age and age-standardized mortality of diabetes mellitus (DM) and chronic kidney disease due to diabetes mellitus (CKD-DM). (Global Burden of Disease 2015 study, Eastern Mediterranean Region, 1990–2015)




**Fig. 2** Number and rate of prevalence cases of diabetes mellitus(DM) and chronic kidney disease due to diabetes mellitus(CKD-DM) in the Eastern Mediterranean Region, 2015. (Global Burden of Disease 2015 study, Eastern Mediterranean Region, 2015)

Total DALYs from diabetes were 6,708,539 (95% UI 5,451,990–8,148,834) in 2015 and 2,285,117 (95% UI 1,892,297–2,792,790) in 1990. For CKD-DM, total DALYs were 568,351 (95% UI 490,064–653,946) in 2015 and 234,194 (95% UI: 201,911–272,837) in 1990. In 2015, the proportion of YLLs to DALYs was 45% for diabetes mellitus and 73% for CKD-DM.

The burden of diabetes mellitus as a percentage of total DALYs was 1.1% (95% UI 1.0–1.3%) in 1990 and

increased to 2.9% (95% CI 2.6–3.3%) in 2015. These percentages were 0.11% (95% UI 0.10–0.13%) and 0.25% (95% CI 0.22–0.28%) for CKD-DM in 1990 and 2015, respectively. The age-standardized observed DALY rate of diabetes in the EMR was higher than in all other WHO regions. Also, observed DALY rates of diabetes in the EMR were higher than the expected (based on SDI) values (Fig. 3). However, observed DALY rates for CKD-DM were less than the expected rates (Fig. 4).

**Fig. 3** Rates of disability-adjusted life years of diabetes mellitus per 100,000 population in the World Health Organization regions. *AFR* African region, *EMR* Eastern Mediterranean region, *EUR* European region, *AMR* Region of Americas, *SEAR* Southeast Asia region, *WPR* Western Pacific region. (Global Burden of Disease 2015 study, World Health Organization regions, 2015)



**Fig. 4** Rates of disability-adjusted life years of chronic kidney disease due to diabetes mellitus per 100,000 population in the World Health Organization regions. *AFR* African region, *EMR* Eastern Mediterranean region, *EUR* European region, *AMR* Region of Americas, *SEAR* Southeast Asia region, *WPR* Western Pacific region. (Global Burden of Disease 2015 study, World Health Organization regions, 2015)




Table 1 lists DALY rates of diabetes and CKD-DM in each of the EMR countries in 2015. Morocco, Tunisia, and Bahrain had the highest DALY rates of diabetes, and Tunisia, Saudi Arabia, and Afghanistan had the highest DALY rates of CKD-DM.

## Discussion

Our study showed that the burden of diabetes has increased considerably during the last 25 years in the EMR. This burden is higher than expected based on the demographic and social status of the countries in the region. Clearly, the region's health systems have not performed at the expected level, given their socio-demographic status, to control and prevent diabetes and CKD. This is in contrast to the European region and Western Pacific region, where

observed levels are lower than expected levels. There are several potential reasons for such differences: people in the EMR have lower perceived risk, and access to and quality of health care are lesser in this region (Mokdad et al. 2014; Moradi-Lakeh et al. 2016b). Our results call for urgent efforts to address the burden of diabetes in the region.

Several interventions have been suggested for prevention and control of diabetes. Although the effectiveness and cost-effectiveness of all interventions are not promising, there is evidence of several successful experiences around the world (Davies et al. 2017; Sun et al. 2017). For example, the National Diabetes Prevention Program showed successful changes in determinants of diabetes (Ely et al. 2017). Indeed, a multi-sectorial approach is needed to control and prevent diabetes in the region. WHO suggests the Package of Essential Non-communicable (PEN) Disease Interventions to be used in primary health care in low-

**Table 1** Disability-adjusted life years (DALYs) of diabetes mellitus and chronic kidney disease due to diabetes mellitus in the Eastern Mediterranean Region countries, 2015

Location	Chronic kidney disease due to diabetes mellitus						Diabetes mellitus					
	Male			Female			Male			Female		
	Rate	95% UI		Rate	95% UI		Rate	95% UI		Rate	95% UI	
Afghanistan	137	73	222	204	124	322	735	550	970	1201	874	1645
Bahrain	51	41	64	47	37	56	1569	1210	1988	1529	1188	1926
Djibouti	111	61	215	82	52	146	1359	713	2691	856	483	1642
Egypt	35	27	44	34	26	41	1265	1016	1570	1294	1029	1595
Iran	75	56	97	66	51	83	908	685	1155	925	684	1191
Iraq	25	19	32	28	21	35	1287	990	1613	1494	1157	1926
Jordan	130	104	157	113	94	135	1052	810	1343	956	715	1242
Kuwait	49	39	61	51	40	62	663	475	889	629	453	839
Lebanon	70	47	101	86	60	117	1232	923	1585	1280	932	1627
Libya	117	79	166	115	84	154	865	655	1112	1032	772	1334
Morocco	122	85	174	124	87	168	1663	1265	2118	2061	1548	2611
Oman	70	54	86	80	66	95	1203	916	1525	1168	888	1483
Pakistan	114	86	141	67	54	81	895	699	1109	1091	847	1371
Palestine	51	39	65	42	34	52	572	432	733	547	414	707
Qatar	41	31	52	41	31	52	1015	748	1325	1077	801	1407
Saudi Arabia	226	164	266	159	140	181	655	472	876	514	371	686
Somalia	79	43	154	75	41	142	657	328	1303	527	265	1021
Sudan	89	53	150	85	52	131	689	515	909	787	590	1013
Syria	24	17	33	22	16	29	510	381	672	578	423	764
Tunisia	264	196	354	183	137	238	1783	1396	2210	1527	1170	1920
UAE	119	72	186	65	46	91	1231	890	1630	916	667	1196
Yemen	86	50	143	107	62	184	536	386	719	792	571	1102

Global Burden of Disease 2015 study, Eastern Mediterranean Countries, 2015

resource settings. PEN is a prioritized set of cost-effective interventions, tools, and aids to deliver an acceptable quality of care in the primary health care setting. Such interventions are feasible for adoption by most counties in the region (Zhang et al. 2016). For instance, Iran launched an adopted version, called IraPEN, with specific targets for prevention and control of non-communicable diseases. On the other hand, “Screen and Treat” strategies are unlikely to have a substantial impact to reduce the diabetes epidemic. Therefore, they should be complemented by population-wide approaches for effective diabetes prevention (Barry et al. 2017).

EMR countries are at different stages of prevention and control of diabetes; all high-income countries except Oman (Bahrain, Kuwait, Qatar, Saudi Arabia, and United Arab Emirates), some of the middle-income EMR countries (Iran, Jordan, Lebanon, and Tunisia), and none of the low-income EMR countries have an operational policy, strategy, or plan of action for diabetes (WHO 2017).

CKD mortality increased in recent years in the region, underscoring the need for better treatment and management

of blood pressure and diabetes. Diagnosis and control of diabetes and blood pressure are not optimal in the region. Early detection through screening of high-risk individuals is crucial to control blood pressure and diabetes and reduce diabetes and CKD burden and mortality. Although evidence is not strong enough to conclude that early diagnosis of diabetes will increase survival, treatment of impaired glucose tolerance or impaired fasting glucose, as well as lifestyle interventions, is associated with delayed progression to diabetes (Selph et al. 2015a, b). There is a need for more aggressive programs to control blood pressure and diabetes that include medical and preventive care approaches.

Access to and quality of medical care has a major impact on mortality from diabetes and CKD (Alegre-Diaz et al. 2016). Several studies have suggested that proper treatment might reduce complications and improve outcomes. Both diabetes and CKD require patients to adhere to long-term management of the condition (Brunton and Polonsky 2017). Unfortunately, not all the region’s residents have equal access to quality medical care. It is

possible that proper management of these conditions varies by county and has led to the observed increases in mortality.

Several studies have shown that obesity has rapidly increased in the region during the time period of this study (Mokdad et al. 2014, 2016). The studies have shown that inadequate physical activity and high body mass index are common in the region (El Bcheraoui et al. 2016). Moreover, dietary factors are among the major risk factors for diabetes and CKD (Moradi-Lakeh et al. 2016b; Yakoob et al. 2016). For example, low intake of whole grains, nuts and seeds, and fruit, and the consumption of processed food and red meats are known risk factor for diabetes; and high sodium intake is an important risk factor for CKD (Afshin et al. 2015; Moradi-Lakeh et al. 2016b). Diet has not improved much in the region during the study period (Afshin et al. 2015; Melaku et al. 2016; Otto et al. 2016). Moreover, there is only limited local information on dietary habits in the region (Afshin et al. 2015; Moradi-Lakeh et al. 2017). There is a need for programs to improve diet and physical activity and to control weight gain in the region to reduce the burden of diabetes as well as many other conditions. Only a few EMR countries have an operational policy, strategy, or plan of action to reduce obesity and physical inactivity (WHO 2017). The countries need to target different age groups, especially youth, to initiate sustainable changes in lifestyle. High intake of processed meat, sugar-sweetened beverages, and salt, and low intake of fruits and vegetables and whole grains need to be specifically addressed with regard to obesity, diabetes, and CKD-DM (Mokdad et al. 2016; Moradi-Lakeh et al. 2016a, 2017a; Ng et al. 2014).

Our study has a few limitations. For many countries with sparse data, estimates were driven by covariates in statistical modeling. The attributable effect of high body mass index (BMI) on ischemic heart disease, stroke, and diabetes was derived from prospective observational studies and meta-analyses. Our study does not account for variation within countries. We also do not have adequate data on access to and quality of health care in the region. More details on these limitations have been published elsewhere (Moradi-Lakeh et al. 2016b). On the other hand, we used new data for some countries, such as Saudi Arabia, which changed our estimates compared to GBD 2013 (El Bcheraoui et al. 2014; Moradi-Lakeh et al. 2016b).

## Conclusion

Our study showed a large and increasing burden of diabetes in the region. This burden will increase with aging and growth of the population unless effective programs for control and prevention are put in place. Diabetes is a costly disease and most countries in the region spend a large

percentage of their health resources on the disease. The region's financial and manpower resources are already stretched. Hence, there is an urgency to deal with diabetes and its consequences, and these efforts should be at the forefront of disease prevention and health promotion.

## GBD 2015 Eastern Mediterranean Region Diabetes and CKD Collaborators:

Maziar Moradi-Lakeh, MD, Department of Community Medicine, Preventive Medicine and Public Health Research Center, Gastrointestinal and Liver Disease Research Center (GILDRC), Iran University of Medical Sciences, Tehran, Iran. Charbel El Bcheraoui, MD, Institute for Health Metrics and Evaluation, University of Washington, Seattle, Washington, USA. Ibrahim Khalil, MD, Institute for Health Metrics and Evaluation, University of Washington, Seattle, Washington, USA. Raghid Charara, MD, American University of Beirut, Beirut, Lebanon. Ashkan Afshin, MD, Institute for Health Metrics and Evaluation, University of Washington, Seattle, Washington, USA. Haidong Wang, PhD, Institute for Health Metrics and Evaluation, University of Washington, Seattle, Washington, USA. Michael Collison, BS, Institute for Health Metrics and Evaluation, University of Washington, Seattle, Washington, USA. Kristopher J. Krohn, BA, Institute for Health Metrics and Evaluation, University of Washington, Seattle, Washington, USA. Adrienne Chew, ND, Institute for Health Metrics and Evaluation, University of Washington, Seattle, Washington, USA. Farah Daoud, BA/BS, Institute for Health Metrics and Evaluation, University of Washington, Seattle, Washington, USA. Christopher D. Blosser, MD, Institute for Health Metrics and Evaluation, University of Washington, Seattle, Washington, USA. Leslie Cornaby, BS, Institute for Health Metrics and Evaluation, University of Washington, Seattle, Washington, USA. Kyle J. Foreman, PhD, Institute for Health Metrics and Evaluation, University of Washington, Seattle, Washington, USA; Imperial College London, London, UK. Nicholas J. Kashebaum, Institute for Health Metrics and Evaluation, University of Washington, Seattle, Washington, USA; Department of Anesthesiology & Pain Medicine, Seattle Children's Hospital, Seattle, Washington, USA. Laura Kemmer, PhD, Institute for Health Metrics and Evaluation, University of Washington, Seattle, Washington, USA. Michael Kutz, BS, Institute for Health Metrics and Evaluation, University of Washington, Seattle, Washington, USA. Patrick Liu, BA, Institute for Health Metrics and Evaluation, University of Washington, Seattle, Washington, USA. Ben Zipkin, Institute for Health Metrics and Evaluation, University of Washington, Seattle, Washington, USA. Johan Ärnlöv, PhD, Department of Neurobiology, Care Sciences and Society, Division of Family Medicine and Primary Care, Karolinska Institutet, Stockholm, Sweden; School of Health and Social Studies, Dalarna University, Falun, Sweden. Kalkidan Hassen Abate, MS, Jimma University, Jimma, Ethiopia. Alireza Ahmadi, PhD, Kermanshah University of Medical Sciences, Kermanshah, Iran. Hamid Ahmadi, MD, Ophthalmic Research Center, Shahid Beheshti University of Medical Sciences, Tehran, Iran; Department of Ophthalmology, Labbafinejad Medical Center, Tehran, Iran. Muktar Beshir Ahmed, MPH, College of Health Sciences, Department of Epidemiology, ICT and e-Learning Coordinator, Jimma University, Jimma, Ethiopia. Ziyad Al-Aly, MD, Washington University in St. Louis, St. Louis, MO, USA. Khurshid Alam, PhD, Murdoch Childrens Research Institute, The University of Melbourne, Parkville, Victoria, Australia; The University of Melbourne, Melbourne, VIC, Australia; The University of Sydney, Sydney, NSW, Australia. Deena Alasfoor, MSc, Ministry of Health, Al Khuwair, Oman. Raghid Ali, MSc, University of Oxford, Oxford, UK. Reza Alizadeh-Navaei, PhD, Gastrointestinal Cancer Research Center, Mazandaran University of Medical Sciences, Sari, Mazandaran, Iran. Juma M. Alkaabi, MD, College of Medicine and Health Sciences, United Arab Emirates

- University, Al-Ain City, United Arab Emirates. Ala'a Alkerwi, PhD, Luxembourg Institute of Health (LIH), Strassen, Luxembourg. Rajaa Al-Raddadi, PhD, Joint Program of Family and Community Medicine, Jeddah, Saudi Arabia. Khalid A. Altirkawi, MD, King Saud University, Riyadh, Saudi Arabia. Nelson Alvis-Guzman, PhD, Universidad de Cartagena, Cartagena de Indias, Colombia. Erfan Amini, MD, Uro-Oncology Research Center, Tehran University of Medical Sciences, Tehran, Iran; Non-communicable Diseases Research Center, Endocrinology and Metabolism Research Institute, Tehran University of Medical Sciences, Tehran, Iran. Nahla Anber, PhD, Mansoura University, Mansoura, Egypt. Palwasha Anwari, MD, Self-employed, Kabul, Afghanistan. Solomon Weldegebreal Asgedom, PhD, Mekelle University, Mekelle, Ethiopia. Tesfay Mehari Atey, MS, Mekelle University, Mekelle, Ethiopia. Leticia Avila-Burgos, PhD, National Institute of Public Health, Cuernavaca, Mexico. Ashish Awasthi, PhD, Sanjay Gandhi Postgraduate Institute of Medical Sciences, Lucknow, Uttar Pradesh, India. Peter Azzopardi, PhD, Department of Paediatrics, The University of Melbourne, Melbourne, VIC, Australia; Murdoch Childrens Research Institute, Melbourne, VIC, Australia; Wardlippingga Aboriginal Research Unit, South Australian Health and Medical Research Institute, Adelaide, South Australia, Australia; Centre for International Health, Burnet Institute, Melbourne, VIC, Australia. Till Bärnighausen, MD, Department of Global Health and Population, Harvard T. H. Chan School of Public Health, Harvard University, Boston, MA, USA; Africa Health Research Institute, Mtubatuba, KwaZulu-Natal, South Africa; Institute of Public Health, Heidelberg University, Heidelberg, Germany. Umar Bacha, PhD, School of Health Sciences, University of Management and Technology, Lahore, Pakistan. Aleksandra Barac, PhD, Faculty of Medicine, University of Belgrade, Belgrade, Serbia. Shahrzad Bazargan-Hejazi, PhD, College of Medicine, Charles R. Drew University of Medicine and Science, Los Angeles, CA, USA; David Geffen School of Medicine, University of California at Los Angeles, Los Angeles, CA, USA. Neeraj Bedi, MD, College of Public Health and Tropical Medicine, Jazan, Saudi Arabia. Derbew Fikadu Berhe, MS, School of Pharmacy, Mekelle University, Mekelle, Ethiopia. Addisu Shunu Beyene, MPH, College of Health and Medical Science, Haramaya University, Harar, Ethiopia. Zulfiqar A. Bhutta, PhD, Centre of Excellence in Women and Child Health, Aga Khan University, Karachi, Pakistan; Centre for Global Child Health, The Hospital for Sick Children, Toronto, ON, Canada. Boris Bikbov, PhD, Centre of Excellence in Women and Child Health, Haramaya University, Harar, Ethiopia. Mulugeta M. Birhanu, MS, University of Groningen, Groningen, Netherlands; Mekelle University, Mekelle, Ethiopia. Zahid A. Butt, PhD, Al Shifa Trust Eye Hospital, Rawalpindi, Pakistan. Lucero Cahuana-Hurtado, PhD, National Institute of Public Health, Cuernavaca, Mexico. David O. Carpenter, MD, University at Albany, Rensselaer, New York, USA. Juan Jesus Carrero, PhD, Department of Medical Epidemiology and Biostatistics, Karolinska Institutet, Stockholm, Sweden. Jee-Young Jasmine Choi, PhD, Seoul National University Hospital, Seoul, South Korea; Seoul National University Medical Library, Seoul, South Korea. Hadi Danawi, PhD, Walden University, Minneapolis, Minnesota, USA. Samath D. Dharmaratne, MD, Department of Community Medicine, Faculty of Medicine, University of Peradeniya, Peradeniya, Sri Lanka. Eric L. Ding, ScD, Harvard T. H. Chan School of Public Health, Harvard University, Boston, Massachusetts, USA. Shirin Djalalinia, PhD, Undersecretary for Research & Technology, Ministry of Health & Medical Education, Tehran, Iran. Kerrie E. Doyle, PhD, RMIT University, Bundoora, VIC, Australia; Australian National University, Canberra, ACT, Australia. Hedyeh Ebrahimi, Non-communicable Diseases Research Center, Tehran University of Medical Sciences, Tehran, Iran; Liver and Pancreaticobiliary Diseases Research Center, Digestive Disease Research Institute, Shariati Hospital, Tehran University of Medical Sciences, Tehran, Iran. Aman Yesuf Endries, MPH, Arba Minch University, Arba Minch, Ethiopia. Alireza Esteghamati, MD, Endocrinology and Metabolism Research Center, Tehran University of Medical Sciences, Tehran, Iran. Marjam S. Farvid, PhD, Department of Nutrition, Harvard T. H. Chan School of Public Health, Harvard University, Boston, MA, USA; Harvard/MGH Center on Genomics, Vulnerable Populations, and Health Disparities, Mongan Institute for Health Policy, Massachusetts General Hospital, Boston, MA, USA. Seyed-Mohammad Fereshtehnejad, PhD, Department of Neurobiology, Care Sciences and Society (NVS), Karolinska Institutet, Stockholm, Sweden. Tesfaye Regassa Feyissa, MPH, Wollega University, Nekemte, Ethiopia. Florian Fischer, PhD, School of Public Health, Bielefeld University, Bielefeld, Germany. Tsegaye Tewelde Gebrehiwot, MPH, Jimma University, Jimma, Ethiopia. Philimon N. Gona, PhD, University of Massachusetts Boston, Boston, Massachusetts, USA. Sameer Vali Gopalani, MPH, Department of Health and Social Affairs, Government of the Federated States of Micronesia, Palikir, Federated States of Micronesia. Bishal Gyawali, MPH, Aarhus University, Aarhus, Denmark; Kathmandu, Nepal. Nima Hafezi-Nejad, MD, Endocrinology and Metabolism Research Center, Tehran University of Medical Sciences, Tehran, Iran. Randah Ribhi Hamadeh, DPhil, Arabian Gulf University, Manama, Bahrain. Samer Hamidi, DrPH, Hamdan Bin Mohammed Smart University, Dubai, United Arab Emirates. Masako Horino, MPH, Bureau of Child, Family & Community Wellness, Nevada Division of Public and Behavioral Health, Carson City, NV, USA. Mohamed Hsairi, MD, Department of Epidemiology, Salah Azaiz Institute, Tunis, Tunisia. Mihajlo B. Jakovljevic, PhD, Faculty of Medical Sciences, University of Kragujevac Kragujevac, Central Serbia-Sumadija, Serbia, The Center for Health Trends and Forecasts, Institute for Health Metrics and Evaluation, University of Washington, Seattle, Washington, USA. Aida Jimenez-Corona, PhD, Department of Ocular Epidemiology and Visual Health, Institute of Ophthalmology Conde de Valencia, Mexico City, Mexico; General Directorate of Epidemiology, Ministry of Health, Mexico City, Mexico. Denny John, MPH, International Center for Research on Women, New Delhi, India. Jost B. Jonas, MD, Department of Ophthalmology, Medical Faculty Mannheim, Ruprecht-Karls-University Heidelberg, Mannheim, Germany. Amir Kasaeian, PhD, Hematology-Oncology and Stem Cell Transplantation Research Center, Tehran University of Medical Sciences, Tehran, Iran; Endocrinology and Metabolism Population Sciences Institute, Tehran University of Medical Sciences, Tehran, Iran. Andre Pascal Kengne, PhD, South African Medical Research Council, Cape Town, South Africa, University of Cape Town, Cape Town, South Africa. Ezra Belay Ketema, MS, Mekelle University, Mekelle, Ethiopia. Yousef Saleh Khader, ScD, Department of Community Medicine, Public Health and Family Medicine, Jordan University of Science and Technology, Irbid, Jordan. Ejaz Ahmad Khan, MD, Health Services Academy, Islamabad, Pakistan. Daniel Kim, DrPH, Department of Health Sciences, Northeastern University, Boston, Massachusetts, USA. Yun Jin Kim, PhD, Faculty of Chinese Medicine, Southern University College, Skudai, Malaysia. Yohannes Kinfu, PhD, Centre for Research and Action in Public Health, University of Canberra, Canberra, Australian Capital Territory, Australia. Katarzyna A. Kissimova-Skarbek, PhD, Jagiellonian University Medical College, Kraków, Poland. Ai Koyanagi, MD, Research and Development Unit, Parc Sanitari Sant Joan de Deu (CIBERSAM), Barcelona, Spain. Heidi J. Larson, PhD, Department of Infectious Disease Epidemiology, London School of Hygiene & Tropical Medicine, London, UK; Institute for Health Metrics and Evaluation, University of Washington, Seattle, Washington, USA. Anders Larsson, PhD, Department of Medical Sciences, Uppsala University, Uppsala, Sweden. Yongmei Li, PhD, San Francisco VA Medical Center, San Francisco, California, USA. Paulo A. Lotufo, DrPH, University of São Paulo, São Paulo, Brazil. Raimundas Lunevicius, PhD, Aintree University Hospital National Health Service Foundation Trust, Liverpool, UK; School of Medicine,

University of Liverpool, Liverpool, UK. Azeem Majeed, MD, Department of Primary Care & Public Health, Imperial College London, London, UK. Reza Malekzadeh, MD, Digestive Diseases Research Institute, Tehran University of Medical Sciences, Tehran, Iran; Digestive Diseases Research Institute, Tehran University of Medical Sciences, Tehran, Iran. Deborah Carvalho Malta, PhD, Universidade Federal de Minas Gerais, Belo Horizonte, Minas Gerais, Brazil. Mohsen Mazidi, PhD, Key State Laboratory of Molecular Developmental Biology, Institute of Genetics and Developmental Biology, Chinese Academy of Sciences, Beijing, China. Ziad A. Memish, MD, Saudi Ministry of Health, Riyadh, Saudi Arabia, College of Medicine, Alfaisal University, Riyadh, Saudi Arabia. Walter Mendoza, MD, United Nations Population Fund, Lima, Peru. Mubarek Abera Mengistie, MS, Jimma University, Jimma, Ethiopia. Haftay Berhane Mezgebe, MS, Mekelle University, Mekelle, Ethiopia. Ted R. Miller, PhD, Pacific Institute for Research & Evaluation, Calverton, MD, USA; Centre for Population Health, Curtin University, Perth, WA, Australia. Muktar Sano Kedir Mohammed, MS, Mizan Tepi University, Mizan Teferi, Ethiopia. Shafiu Mohammed, PhD, Health Systems and Policy Research Unit, Ahmadu Bello University, Zaria, Nigeria; Institute of Public Health, Heidelberg University, Heidelberg, Germany. Ulrich O. Mueller, PhD, Federal Institute for Population Research, Wiesbaden, Germany. Gabriele Nagel, PhD, Ulm University, Ulm, Germany. Cuong Tat Nguyen, MSc, Institute for Global Health Innovations, Duy Tan University, Da Nang, Vietnam. Quyen Le Nguyen, MD, Institute for Global Health Innovations, Duy Tan University, Da Nang, Vietnam. Vuong Minh Nong, MSc, Institute for Global Health Innovations, Duy Tan University, Da Nang, Vietnam. Jean Jacques N. Noubiap, MD, University of Cape Town, Cape Town, South Africa, Medical Diagnostic Centre, Yaounde, Cameroon. Felix Akpojene Ogbo, MPH, Centre for Health Research, Western Sydney University, Sydney, New South Wales, Australia. Alberto Ortiz, PhD, IIS-Fundacion Jimenez Diaz-UAM, Madrid, Spain. Erika Ota, PhD, St. Luke's International University, Tokyo, Japan. Tejas Patel, MD, Mount Sinai Health System, New York, NY, USA. Jonathan Pearson-Stuttard, MD, Imperial College London, London, UK; Liverpool, UK. Norberto Perico, MD, IRCCS-Istituto di Ricerche Farmacologiche Mario Negri, Bergamo, Italy. Max Petzold, PhD, Health Metrics Unit, University of Gothenburg, Gothenburg, Sweden; University of the Witwatersrand, Johannesburg, South Africa. Farhad Pishgar, Non-communicable Diseases Research Center, Tehran University of Medical Sciences, Tehran, Iran; Uro-Oncology Research Center, Tehran University of Medical Sciences, Tehran, Iran. Farshad Pourmalek, PhD, University of British Columbia, Vancouver, British Columbia, Canada. Mostafa Qorbani, PhD, Non-communicable Diseases Research Center, Alborz University of Medical Sciences, Karaj, Iran. Vafa Rahimi-Movaghar, MD, Sina Trauma and Surgery Research Center, Tehran University of Medical Sciences, Tehran, Iran. Rajesh Kumar Rai, MPH, Society for Health and Demographic Surveillance, Suri, India. Saleem M. Rana, PhD, Contech School of Public Health, Lahore, Pakistan; Contech International Health Consultants, Lahore, Pakistan. David Laith Rawaf, MD, WHO Collaborating Centre, Imperial College London, London, UK, North Hampshire Hospitals, Basingstoke, UK, University College London Hospitals, London, UK. Salman Rawaf, MD, Imperial College London, London, UK. Giuseppe Remuzzi, MD, IRCCS-Istituto di Ricerche Farmacologiche Mario Negri, Bergamo, Italy; Azienda Socio-Sanitaria Territoriale, Papa Giovanni XXIII, Bergamo, Italy; Department of Biomedical and Clinical Sciences "L. Sacco", University of Milan, Milan, Italy. Andre M. N. Renzaho, PhD, Western Sydney University, Penrith, NSW, Australia. Satar Rezaei, PhD, School of Public Health, Kermanshah University of Medical Sciences, Kermanshah, Iran. Gholamreza Roshandel, PhD, Golestan Research Center of Gastroenterology and Hepatology, Golestan University of Medical Sciences, Gorgan, Iran; Digestive Diseases Research Institute, Tehran University of Medical Sciences, Tehran, Iran. Dietrich Rothenbacher, MD, Institute of Epidemiology and Medical Biometry, Ulm University, Ulm, Germany. Mahdi Safdarian, MD, Sina Trauma & Surgery Research Center, Tehran University of Medical Sciences, Tehran, Iran. Sare Safi, MS, Ophthalmic Epidemiology Research Center, Shahid Beheshti University of Medical Sciences, Tehran, Iran. Saeid Safiri, PhD, Managerial Epidemiology Research Center, Department of Public Health, School of Nursing and Midwifery, Maragheh University of Medical Sciences, Maragheh, Iran. Mohammad Ali Sahraian, MD, MS Research Center, Neuroscience Institute, Tehran University of Medical Sciences, Tehran, Iran. Payman Salamati, MD, Sina Trauma and Surgery Research Center, Tehran University of Medical Sciences, Tehran, Iran. Abdallah M. Samy, PhD, Ain Shams University, Cairo, Egypt. Juan Ramon Sanabria, MD, J Edwards School of Medicine, Marshall University, Huntington, WV, USA; Case Western Reserve University, Cleveland, OH, USA. Maria Dolores Sanchez-Niño, PhD, IIS-Fundacion Jimenez Diaz, Madrid, Spain. Milena M. Santric Milicevic, PhD, Institute of Social Medicine, Faculty of Medicine, University of Belgrade, Belgrade, Serbia; Centre School of Public Health and Health Management, Faculty of Medicine, University of Belgrade, Belgrade, Serbia. Benn Sartorius, PhD, Public Health Medicine, School of Nursing and Public Health, University of KwaZulu-Natal, Durban, South Africa; UKZN Gastrointestinal Cancer Research Centre, South African Medical Research Council (SAMRC), Durban, South Africa. Sadaf G. Sepanlou, PhD, Digestive Diseases Research Institute, Tehran University of Medical Sciences, Tehran, Iran. Masood Ali Shaikh, MD, Independent Consultant, Karachi, Pakistan. Diego Augusto Santos Silva, PhD, Federal University of Santa Catarina, Florianopolis, SC-Santacatarina, Brazil. Dayane Gabriele Alves Silveira, MD, Brasilia University, Brasilia, DF, Brazil. Badr H. A. Sobaih, MD, King Saud University, Riyadh, Saudi Arabia. Rizwan Suliangkatchi Abdulkader, MD, Ministry of Health, Kingdom of Saudi Arabia, Riyadh, Saudi Arabia. Rafael Tabarés-Seisdedos, PhD, Department of Medicine, University of Valencia, Incliva Health Research Institute and CIBERSAM, Valencia, Spain. Arash Tehrani-Banihashemi, PhD, Preventive Medicine and Public Health Research Center, Iran University of Medical Sciences, Tehran, Iran. Mohamad-Hani Tensah, MD, King Saud University, Riyadh, Saudi Arabia. Roman Topor-Madry, PhD, Institute of Public Health, Faculty of Health Sciences, Jagiellonian University Medical College, Kraków, Poland, Faculty of Health Sciences, Wrocław Medical University, Wrocław, Poland. Bach Xuan Tran, PhD, Johns Hopkins University, Baltimore, Maryland, USA; Hanoi Medical University, Hanoi, Vietnam. Kingsley Nnanna Ukwaja, MD, Department of Internal Medicine, Federal Teaching Hospital, Abakaliki, Nigeria. Olalekan A. Uthman, PhD, Warwick Medical School, University of Warwick, Coventry, UK. Job F. M. van Boven, PhD, University of Groningen, Groningen, Netherlands. Tolassa Wakayo, MS, Jimma University, Jimma, Ethiopia. Andrea Werdecker, PhD, Competence Center Mortality-Follow-Up of the German National Cohort, Federal Institute for Population Research, Wiesbaden, Germany. Abdulhalik Workicho, MPH, Jimma University, Jimma, Ethiopia; Ghent University, Ghent, Belgium. Mohsen Yaghoubi, MSc, School of Public Health, University of Saskatchewan, Saskatoon, Saskatchewan, Canada. Yuichiro Yano, MD, Department of Preventive Medicine, Northwestern University, Chicago, Illinois, USA. Mehdi Yaseri, PhD, Tehran University of Medical Sciences, Tehran, Iran; Ophthalmic Research Center, Shahid Beheshti University of Medical Sciences, Tehran, Iran. Naohiro Yonemoto, MPH, Department of Biostatistics, School of Public Health, Kyoto University, Kyoto, Japan. Mustafa Z. Younis, DrPH, Jackson State University, Jackson, MS, USA. Bassel Zein, MS, Department of Neuroscience, Georgetown University, Washington, DC, USA. Anthony Lin Zhang, PhD, School of Health and Biomedical Sciences, RMIT University, Bundoora, VIC, Australia. Aisha O. Jumaan, PhD, Independent



Consultant, Seattle, Washington, USA. Theo Vos, PhD, Institute for Health Metrics and Evaluation, University of Washington, Seattle, Washington, USA. Simon I. Hay, DSc, Oxford Big Data Institute, LiKa Shing Centre for Health Information and Discovery, University of Oxford, Oxford, UK; Institute for Health Metrics and Evaluation, University of Washington, Seattle, Washington, USA. Mohsen Naghavi, PhD, Institute for Health Metrics and Evaluation, University of Washington, Seattle, Washington, USA. Christopher J. L. Murray, DPhil, Institute for Health Metrics and Evaluation, University of Washington, Seattle, Washington, USA. Ali H. Mokdad, PhD, Institute for Health Metrics and Evaluation, University of Washington, Seattle, Washington, USA.

### Compliance with ethical standards

**Ethical statements** The authors of this paper have complied with all ethical standards and do not have any conflicts of interest to disclose at the time of submission. The funding source played no role in the design of the study, the analysis and interpretation of data, and the writing of the paper.

**Human participants and animals** The study did not involve human participants and/or animals; therefore, no informed consent was needed.

**Funding** This research was funded by the Bill & Melinda Gates Foundation.

**Conflict of interest** The authors declare that they have no conflicts of interest at this time.

**Open Access** This article is distributed under the terms of the Creative Commons Attribution 4.0 International License (<http://creativecommons.org/licenses/by/4.0/>), which permits unrestricted use, distribution, and reproduction in any medium, provided you give appropriate credit to the original author(s) and the source, provide a link to the Creative Commons license, and indicate if changes were made.

## References

- Afshin A, Micha R, Khatibzadeh S et al (2015) The impact of dietary habits and metabolic risk factors on cardiovascular and diabetes mortality in countries of the Middle East and North Africa in 2010: a comparative risk assessment analysis. *BMJ Open* 5(5):e006385. doi:10.1136/bmjopen-2014-006385
- Alegre-Diaz J, Herrington W, Lopez-Cervantes M et al (2016) Diabetes and cause-specific mortality in Mexico City. *N Engl J Med* 375(20):1961–1971. doi:10.1056/NEJMoa1605368
- Barry E, Roberts S, Oke J, Vijayaraghavan S, Normansell R, Greenhalgh T (2017) Efficacy and effectiveness of screen and treat policies in prevention of type 2 diabetes: systematic review and meta-analysis of screening tests and interventions. *BMJ* 356:i6538. doi:10.1136/bmj.i6538
- Brunton SA, Polonsky WH (2017) Hot topics in primary care: medication adherence in type 2 diabetes mellitus: real-world strategies for addressing a common problem. *J Fam Pract* 66(4 Suppl):S46–S51
- Davies MJ, Gray LJ, Troughton J et al (2017) A community-based primary prevention programme for type 2 diabetes mellitus integrating identification and lifestyle intervention for prevention: a cluster randomised controlled trial. Programme Grants for Applied Research, Southampton (UK)
- Dieleman JL, Baral R, Birger M et al (2016) US spending on personal health care and public health, 1996–2013. *JAMA* 316(24):2627–2646. doi:10.1001/jama.2016.16885
- Duncan BB, Inês Schmidt M, Cousin E et al (2017) The burden of diabetes and hyperglycemia in Brazil—past and present: findings from the Global Burden of Disease Study 2015. *Diabetol Metab Syndr* 9:18. doi:10.1186/s13098-017-0216-2
- El Bcheraoui C, Basulaiman M, Tuffaha M et al (2014) Status of the diabetes epidemic in the Kingdom of Saudi Arabia, 2013. *Int J Public Health* 59(6):1011–1021. doi:10.1007/s00038-014-0612-4
- El Bcheraoui C, Tuffaha M, Daoud F et al (2016) On your mark, get set, go: levels of physical activity in the Kingdom of Saudi Arabia, 2013. *J Phys Act Health* 13(2):231–238. doi:10.1123/jpah.2014-0601
- Ely EK, Gruss SM, Luman ET et al (2017) A national effort to prevent type 2 diabetes: participant-level evaluation of CDC's national diabetes prevention program. *Diabetes Care*. doi:10.2337/dc16-2099
- Foreman KJ, Lozano R, Lopez AD, Murray CJ (2012) Modeling causes of death: an integrated approach using CODEm. *Popul Health Metr* 10:1. doi:10.1186/1478-7954-10-1
- GBD 2015 Causes of Death Collaborators (2016) Global, regional, and national life expectancy, all-cause mortality, and cause-specific mortality for 249 causes of death, 1980–2015: a systematic analysis for the Global Burden of Disease Study 2015. *Lancet* 388(10053):1459–1544. doi:10.1016/S0140-6736(16)31012-1
- GBD 2015 DALYs/HALE Collaborators (2016) Global, regional, and national disability-adjusted life-years (DALYs) for 315 diseases and injuries and healthy life expectancy (HALE), 1990–2015: a systematic analysis for the Global Burden of Disease Study 2015. *Lancet* 388(10053):1603–1658. doi:10.1016/S0140-6736(16)31460-X
- GBD 2015 Disease and Injury Incidence and Prevalence Collaborators (2016) Global, regional, and national incidence, prevalence, and years lived with disability for 310 diseases and injuries, 1990–2015: a systematic analysis for the Global Burden of Disease Study 2015. *Lancet* 388(10053):1545–1602. doi:10.1016/S0140-6736(16)31678-6
- IDF (2015) IDF Diabetes Atlas. <http://www.diabetesatlas.org/>. Accessed 12 Jul 2017
- Institute for Health Metrics and Evaluation (2016) GBD compare visualization tool. <http://ihmeuw.org/421v>. Accessed 30 April 2017
- Melaku YA, Misganaw Temesgen A, Deribew A et al (2016) The impact of dietary risk factors on the burden of non-communicable diseases in Ethiopia: findings from the Global Burden of Disease study 2013. *Int J Behav Nutr Phys Act* 13(1):122. doi:10.1186/s12966-016-0447-x
- Mokdad AH, Jaber S, Abdel Aziz MI et al (2014) The state of health in the Arab world, 1990–2010: an analysis of the burden of diseases, injuries, and risk factors. *Lancet* 383(9914):309–320. doi:10.1016/S0140-6736(13)62189-3
- Mokdad AH, Forouzanfar MH, Daoud F et al (2016) Health in times of uncertainty in the eastern Mediterranean region, 1990–2013: a systematic analysis for the Global Burden of Disease Study 2013. *Lancet Global Health* 4(10):e704–e713. doi:10.1016/S2214-109X(16)30168-1
- Moradi-Lakeh M, El Bcheraoui C, Tuffaha M et al (2016a) The health of Saudi youths: current challenges and future opportunities. *BMC Fam Pract* 17:26. doi:10.1186/s12875-016-0425-z
- Moradi-Lakeh M, Forouzanfar MH, El Bcheraoui C et al (2016b) High fasting plasma glucose, diabetes, and its risk factors in the eastern mediterranean region, 1990–2013: findings From the

- Global Burden of Disease Study 2013. *Diabetes Care* 40(1):22–29. doi:[10.2337/dc16-1075](https://doi.org/10.2337/dc16-1075)
- Moradi-Lakeh M, El Bcheraoui C, Afshin A, Daoud F et al (2017) Diet in Saudi Arabia: findings from a nationally representative survey. *Public Health Nutr* 20(6):1075–1081. doi:[10.1017/S1368980016003141](https://doi.org/10.1017/S1368980016003141)
- Ng M, Fleming T, Robinson M et al (2014) Global, regional, and national prevalence of overweight and obesity in children and adults during 1980–2013: a systematic analysis for the Global Burden of Disease Study 2013. *Lancet* 384(9945):766–781. doi:[10.1016/S0140-6736\(14\)60460-8](https://doi.org/10.1016/S0140-6736(14)60460-8)
- Otto MC, Afshin A, Micha R et al (2016) The impact of dietary and metabolic risk factors on cardiovascular diseases and type 2 diabetes mortality in Brazil. *PLoS One* 11(3):e0151503. doi:[10.1371/journal.pone.0151503](https://doi.org/10.1371/journal.pone.0151503)
- Selph S, Dana T, Blazina I, Bougatsos C, Patel H, Chou R (2015a) Screening for type 2 diabetes mellitus: a systematic review for the U.S. Preventive Services Task Force. *Ann Intern Med* 162(11):765–776. doi:[10.7326/M14-2221](https://doi.org/10.7326/M14-2221)
- Selph S, Dana T, Bougatsos C, Blazina I, Patel H, Chou R (2015b) Screening for abnormal glucose and type 2 diabetes mellitus: a systematic review to update the 2008 US Preventive Services Task Force Recommendation. U.S. Preventive Services Task Force Evidence Syntheses, formerly Systematic Evidence Reviews, Rockville (MD)
- Sozmen K, Ünal B, Saidi O et al (2015) Cardiovascular risk factor trends in the Eastern Mediterranean region: evidence from four countries is alarming. *Int J Public Health* 60(Suppl 1):S3–S11. doi:[10.1007/s00038-014-0610-6](https://doi.org/10.1007/s00038-014-0610-6)
- Sun Y, You W, Almeida F, Estabrooks P, Davy B (2017) The effectiveness and cost of lifestyle interventions including nutrition education for diabetes prevention: a systematic review and meta-analysis. *Journal of the Academy of Nutrition and Dietetics* 117(3):404 e36–421 e36. doi:[10.1016/j.jand.2016.11.016](https://doi.org/10.1016/j.jand.2016.11.016)
- WHO (2017) Diabetes country profiles 2016. <http://www.who.int/diabetes/country-profiles/en/#1>. Accessed 10 June 2017
- Yakoob MY, Micha R, Khatibzadeh S et al (2016) Impact of Dietary and Metabolic Risk Factors on Cardiovascular and Diabetes Mortality in South Asia: analysis From the 2010 Global Burden of Disease Study. *Am J Public Health* 106(12):2113–2125. doi:[10.2105/AJPH.2016.303368](https://doi.org/10.2105/AJPH.2016.303368)
- Zhang XH, Lisheng L, Campbell NR et al (2016) Implementation of World Health Organization Package of essential noncommunicable disease interventions (WHO PEN) for primary health care in low-resource settings: a policy statement from the world hypertension league. *J Clin Hyperten* 18(1):5–6. doi:[10.1111/jch.12749](https://doi.org/10.1111/jch.12749)



Prof.	David	O.	Carpenter	dcarpenter MD		University at Albany	Rensselaer New York	United_States				
Prof.	Juan	Jesus	Carrero	Juan.Jesus. PhD	Department of Medical Epidemiology and Biostatistics	Karolinska Institutet	Stockholm	Sweden				
Dr.	Jee-Young	Jasmine	Choi	jasmiechn. PHD		Seoul National University Hospital	Seoul	South_Korea	Seoul National University Medical Library	Seoul	South_Korea	
Dr.	Hadi		Danawi	hdanawi@ PHD		Walden University	Minneapolis Minnesota	United_States				
Dr.	Samath	D.	Dharmaratne	samath62( MD	Department of Community Medicine, Faculty of Medicine	University of Peradeniya	Peradeniya	Sri_Lanka				
Dr.	Eric	L.	Ding	eding@po: ScD	Harvard T H Chan School of Public Health	Harvard University	Boston	Massachus United_States				
Dr.	Shirin		Djalalinia	shdjalalinii PHD	Undersecretary for Research & Technology	Ministry of Health & Medical Education	Tehran	Iran				
Prof.	Kerrie	E	Doyle	autykerrii PHD		RMIT University	Bundoora	VIC Australia	Australian National University	Canberra ACT	Australia	
					Non-Communicable Diseases Research Center				Liver and Pancreaticobiliary Diseases Research Center, Digestive Disease Research Institute, Shariati Hospital,			
Miss	Hedeyeh Aman	Yesuf	Ebrahimi Endries	hedeyeh@gmail.com		Tehran University of Medical Sciences	Tehran Arba Minch	Iran Ethiopia	Tehran University of Medical Sciences	Tehran Tehran	Iran	
Prof.	Alireza		Esteghamati	esteghama MD	Endocrinology and Metabolism Research Center	Tehran University of Medical Sciences	Tehran	Tehran Iran				
									Harvard/MGH Center on Genomics, Vulnerable Populations, and Health Disparities, Morgan Institute for Health Policy, Massachusetts General Hospital	Boston MA	United_States	
Dr.	Maryam	S	Farvid	mfarvid@I PHD	Department of Nutrition, Harvard T.H. Chan School of Public Health	Harvard University	Boston MA	United_States				
Dr.	Seyed-Mohammad		Fereshtehnejad	sm.feresht PHD	Department of Neurobiology, Care Sciences and Society (NVS)		Stockholm	Sweden				
Mr.	Tesfaye	Regassa	Feyissa	regassates MPH		Karolinska Institutet	Nekemte	Oromia Ethiopia				
Dr.	Florian		Fischer	f.fischer@I PHD	School of Public Health	Bielefeld University	Bielefeld	North Rhin Germany				
Mr.	Tsegaye	Tewelde	Gebrehiwot	tsegaye.te MPH		Jimma University	Jimma	Oromia Ethiopia				
Prof.	Philonon	N.	Gona	philigona@ PHD		University of Massachusetts Boston	Boston	Massachus United_States				
Mr.	Sameer		Gopalani	gopalani.s MPH	Department of Health and Social Affairs	Government of the Federated States of Micronesia	Palikir	Federated_States_of_Micronesia				
Ms.	Bishal		Gyawali	bishalforu MPH		Aarhus University	Aarhus	Denmark			Kathmandu	Nepal
Dr.	Nima		Hafezi-Nejad	nimahn@g MD	Endocrinology and Metabolism Research Center	Tehran University of Medical Sciences	Tehran	Iran				
Prof.	Randah	Ribhi	Hamadeh	randah@a DPhil		Arabian Gulf University	Manama	Bahrain				
Dr.	Samer		Hamidi	s.hamidi@ DRPH		Hamdan Bin Mohammed Smart University	Dubai	united_arab_emirates				
Ms.	Masako		Horino	mhorino@ MPH	Bureau of Child, Family & Community Health	Nevada Division of Public and Behavioral Health	Carson City NV	United_States				
Prof.	Mohamed		Hsairi	mohamed. MD	Department of Epidemiology	Salah Azazi Institute	Tunis	Tunis Tunisia				
Prof.	Mihajlo	B	Jakovljevic	sidartagott PHD	Faculty of Medical Sciences	University of Kragujevac	Kragujevac Central	Serbia	The Center for Health Trends and Evaluation (HME) The University of Washington	Seattle	Washington	United_States
Dr.	Aida		Jimenez-Corona	aidaajic@g PHD	Department of Ocular Epidemiology and Visual Health	Institute of Ophthalmology Conde de Valencia	Mexico City	Mexico	Ministry of Health	Mexico City	Mexico	
Mr.	Denny		John	djohn1976 MPH		International Center for Research on Women	New Delhi	Delhi India				
Prof.	Jost	B	Jonas	Jost.Jonasz MD	Department of Ophthalmology, Medical Faculty Mannheim	Ruprecht-Karls-University Heidelberg	Mannheim	Germany				
Dr.	Amir		Kasaean	amir_kasa PHD	Hematology-Oncology and Stem Cell Transplantation Research Center	Tehran University of Medical Sciences	Tehran	Iran	Endocrinology and Metabolism Sciences Institute	Tehran	Tehran Iran	
Dr.	Andre	Pascal	Kengne	andre.keng PHD		South African Medical Research Council	Cape Town	Western C.South_Africa	University of Cape Town	Cape Town	Western C.South_Africa	
Mr.	Ezra		Ketema	aga.bely@ MS		Mekelle University	Mekelle	Ethiopia				
Prof.	Yusef	Saleh	Khader	yskhader@ ScD	Department of Community Medicine, Public Health and Family Medicine	Jordan University of Science and Technology	Irbid	Irbid Jordan				
Dr.	Ejaz	Ahmad	Khan	ejaz@hsa. MD		Health Services Academy	Islamabad	Punjab Pakistan				
Prof.	Daniel		Kim	daniel.kim DRPH	Department of Health Sciences	Northeastern University	Boston	Massachus United_States				
Dr.	Yun Jin		Kim	neurokim7 PHD	Faculty of Chinese Medicine	Southern University College	Skudai	Johor Malaysia				
Dr.	Yohannes		Kinifu	yohannes.l PHD	Centre for Research and Action in Public Health	University of Canberra	Canberra	Australian	Australia			
Dr.	Katarzyna	A.	Kissimova-Skarbek	katia.skarb PHD		Jagiellonian University Medical College	Krakow	Poland				
Dr.	Ai		Koyanagi	a.koyanagi MD	Research and Development Unit	Parc Sanitari Sant Joan de Deu (CIBERSAM)	Barcelona	Spain				
Dr.	Heidi	J.	Larson	Heidi.Larsz PHD	Department of Infectious Disease Epidemiology	London School of Hygiene & Tropical Medicine	London	United_Kir	Institute for Health Metrics and Evaluation	University of Washington	Seattle WA	United_States
Prof.	Anders		Larsson	anders.lars PHD		Uppsala University	Uppsala	Sweden				
Dr.	Yongmei		Li	yongmeil@ PHD	Department of Medical Sciences	San Francisco VA Medical Center	San Francisco	California United_States				
Prof.	Paulo	A.	Lotufo	paltufo@ DRPH		University of São Paulo	São Paulo	São Paulo Brazil				
Prof.	Raimundas		Lunevicius	rlunevichu PHD		Aintree University Hospital National Health Service Foundation Trust	Liverpool	United_Kir	School of Medicine	University of Liverpool	Liverpool	United_Kingdom
Prof.	Azeem		Majeed	a.majeed@ MD	Department of Primary Care & Public Health	Imperial College London	London	England United_Kingdom				
Prof.	Reza		Malekzadeh	mralek@tu MD	Digestive Diseases Research Institute	Tehran University of Medical Sciences	Tehran	Iran	Digestive Diseases Research Institute	Tehran	Iran	
Prof.	Deborah	Carvalho	Malta	dcmalta@I PHD		Universidade Federal de Minas Gerais	Belo Horiz	Minas Ger:Brazil				
Mr.	Mohsen		Mazidi	Mazidi_nsi PHD	Key State Laboratory of Molecular Developmental Biology, Institute of Genetics and Developmental Biology	Chinese Academy of Sciences	Beijing	China				
Prof.	Ziad	A.	Memish	zmemish@ MD		Saudi Ministry of Health	Riyadh	Saudi_Arat	College of Medicine	Alfaisal University	Riyadh	Saudi_Arabia
Dr.	Walter		Mendoza	mendoza@ MD		United Nations Population Fund	Lima	Peru				
Mr.	Mubarek	Abera	Mengistie	abmubarel MS		Jimma University	Jimma	Oromia Ethiopia				
Mr.	Haftay	Berhane	Mezgebe	haftay.berf MS		Mekelle University	Mekelle	Tigray Ethiopia				
Dr.	Ted	R	Miller	miller@pir PHD		Pacific Institute for Research & Evaluation	Calverton MD	United_Sti	Centre for Population Health	Curtin University	Perth WA	Australia
Mr.	Muktar	Sano	Mohammed	muktarsan MS		MizanTeferi University	Mizan Teferi	Ethiopia				
Dr.	Shafiu	Kedir	Mohammed	shafiudot@ PHD	Health Systems and Policy Research Unit	Ahmadu Bello University	Zaria	Kaduna Nigeria	Institute of Public Health	Heidelberg University	Heidelberg	Baden Wu:Germany
Prof.	Ulrich	O.	Mueller	ulrich.mue PHD		Federal Institute for Population Research	Wiesbaden	Germany				
Prof.	Gabriele		Nagel	gabriele.ni PHD		Ulm University	Ulm	Germany				
Dr.	Cuong	Tat	Nguyen	cuong.ighi MSc	Institute for Global Health Innovations	Duy Tan University	Da Nang	Vietnam				

Dr.	Quyen	Le	Nguyen	quyen.ighi MD	Institute for Global Health Innovations	Duy Tan University	Da Nang	Vietnam									
Dr.	Vuong	Minh	Nong	vuong.ighi MSc	Institute for Global Health Innovations	Duy Tan University	Da Nang	Vietnam									
Dr.	Jean Jacques	N	Noubiap	noubiapjje MD		University of Cape Town	Cape Town	Western C.South_Africa				Medical Diagnostic Centre	Yaounde	Centre			Cameroon
Dr.	Felix	Akpojene	Ogbo	felgbo@ya MPH	Centre for Health Research	Western Sydney University	Sydney	New South_Australia									
Prof.	Alberto		Ortiz	ortiz@fjd PHD		IIS-Fundacion Jimenez Diaz-UAM	Madrid	Spain									
Dr.	Erika		Ota	e-i@umin. PHD		St. Luke's International University	Tokyo	Japan									
Dr.	Tejas		Patel	tpatel0@cj MD		Mount Sinai Health System	New York	NY	United_States								
Dr.	Jonathan		Pearson-Stuttard	j.pearson-t MD		Imperial College London	London	United_Kingdom					Liverpool				United_Kingdom
Dr.	Norberto		Perico	norberto.p MD		IRCCS - Istituto di Ricerche Farmacologiche Mario Negri	Bergamo	Italy									
Prof.	Max		Petzold	max.petzold PhD	Health Metrics Unit	University of Gothenburg	Gothenburg	Sweden					University of the Witwatersrand	Johannesburg			South_Africa
Mr.	Farhad		Pishgar	F.Pishgar@student.tu	Non-Communicable Diseases Research Center	Tehran University of Medical Sciences	Tehran	Tehran	Iran	Uro-Oncology Research Center							
Dr.	Farshad		Pourmalek	farshad.po PHD		University of British Columbia	Vancouver	British Col	Canada					Tehran	Tehran		Iran
Dr.	Mostafa		Qorbani	mqorbani1 PHD	Non-Communicable Diseases Research Center	Alborz University of Medical Sciences	Karaj	Iran									
Prof.	Vafa		Rahimi-Movaghar	v_rahimi@ MD	Sina Trauma and Surgery Research Center	Tehran University of Medical Sciences	Tehran	Tehran	Iran								
Mr.	Rajesh Kumar		Rai	rajesh.iips; MPH		Society for Health and Demographic Surveillance	Suri	West Beng	India								
Prof.	Saleem	M	Rana	srmee@ PHD		Cotitech School of Public Health	Lahore	Punjab	Pakistan				Cortech International Health	Lahore	Punjab	Pakistan	
Dr.	David	Laith	Rawaf	drawaf@ic MD, MBBS	WHO Collaborating Centre	Imperial College London	London	United_Kingdom					North Hampshire Hospitals	Basingstoke			
Prof.	Salman		Rawaf	s.rawaf@ir MD		Imperial College London	London	United_Kingdom									University London
Prof.	Giuseppe		Remuzzi	giuseppe.r MD		IRCCS - Istituto di Ricerche Farmacologiche Mario Negri	Bergamo	Italy					Azienda Socio-Sanitaria	Bergamo			Italy
Prof.	Andre	M.N.	Renzaho	andre.renz PHD		Western Sydney University	Locked Bag NSW	Australia					Territoriale, Papa Giovanni XXIII	Bergamo			Departmenter University Milan
Dr.	Satar		Rezaei	satar.rezaei PHD	School of Public Health	Kermanshah University of Medical Sciences	Kermanshah	Iran									
Dr.	Gholamreza		Roshandel	roshandel_ PHD	Golestan Research Center of Gastroenterology and Hepatology	Golestan University of Medical Sciences	Gorgan	Iran	Digestive Diseases Research Institute				Tehran University of Medical Sciences	Tehran			Iran
Prof.	Dietrich		Rothenbacher	dietrich.ro MD	Biometry	Ulm University	Ulm	Germany									
Dr.	Mahdi		Safarian	mahdisafd MD		Sina Trauma & Surgery Research Center	Tehran	Iran									
Ms.	Sare		Safi	sare.safi@ MS	Ophthalmic Epidemiology Research Center	Shahid Beheshti University of Medical Sciences	Tehran	Iran									
Dr.	Saeid		Safiri	saeidsafiri PHD	Managerial Epidemiology Research Center, Department of Public Health, School of Nursing and Midwifery	Maragheh University of Medical Sciences	Maragheh	Iran									
Dr.	Mohammad Ali		Sahraian	sahraian12 MD	MS Research Center, Neuroscience Institute	Tehran University of Medical Sciences	Tehran	Iran									
Prof.	Payman		Salamati	psalamati@ MD	Sina Trauma and Surgery Research Center	Tehran University of Medical Sciences	Tehran	Tehran	Iran								
Dr.	Abdallah	M.	Samy	asamy.ku@ PHD		Ain Shams University	Cairo	Egypt						Lawrence	Kansas		United_States
Dr.	Juan Maria Dolores	Ramon	Sanabria Sanchez-Niño	Juan.Sanat.MD mdsanchez; PHD	J Edwards School of Medicine	Marshall University	Huntingtor WV	Madrid	Madrid	United_States			Case Western Reserve University	Cleveland	OH		United_States
Dr.	Milena	M	Santric Milicevic	milena.san PHD	Institute of Social Medicine, Faculty of Medicine	University of Belgrade	Belgrade	Serbia	Serbia				Centre School of Public Health and Health Management, Faculty of Medicine				
Prof.	Benn		Sartorius	sartorius@ PHD	Public Health Medicine, School of Nursing and Public Health	University of Kwazulu-Natal	Durban	South_Afri	Research Centre				University of Belgrade	Belgrade	Serbia		Serbia
Dr.	Sadaf	G.	Sepanliou	sepanliou@ PHD	Digestive Diseases Research Institute	Tehran University of Medical Sciences	Tehran	Tehran	Iran				South African Medical Research Council (SAMRC)	Durban			South_Africa
Dr.	Masood		Shaikh	masoodali MD		Independent Consultant	Karachi	Pakistan									
Dr.	Diego	Augusto	Santos	diegoaugu PHD		Federal University of Santa Catarina	Florianopo	SC - SANTA	Brazil								
Miss	Dayane	Gabriele	Alves	dayanegab MD		Brasilia University	Brasilia	DF	Brazil								
Dr.	Badr	H	Sobaih	bsobaih@I MD		King Saud university	Riyadh	middle pro	Saudi_Arabia					Riyadh			Saudi_Arabia
Dr.	Rizwan		Suliankatchi Abdulkader	sarizwan11 MD		Ministry of Health, Kingdom of Saudi Arabia	Riyadh	Saudi_Arabia									
Prof.	Rafael		Tabarés-Seisdedos	rafael.tabar PHD	Department of Medicine	University of Valencia, INCLIVA Health Research Institute and CIBERSAM	Valencia	Valencia	Spain								
Dr.	Arash		Tehrani-Banihashemi	tehranib@ PHD	Preventive Medicine and Public Health Research Center	Iran University of Medical Sciences	Tehran	Tehran	Iran								
Dr.	Mohamad-Hani		Temsah	Temsah1@ MD		King Saud University	Riyadh	Saudi_Arabia					King Faisal Specialist Hospital and Research Center	Riyadh			Saudi_Arabia
Dr.	Roman		Topor-Madry	roman.top PHD	Institute of Public Health, Faculty of Health Sciences	Jagiellonian University Medical College	Krakow	Poland	Faculty of Health Sciences				Wroclaw Medical University	Wroclaw			Poland
Dr.	Bach	Xuan	Tran	bach@juu. PHD		Johns Hopkins University	Baltimore	Maryland	United_States				Hanoi Medical University	Hanoi			Vietnam
Dr.	Kingsley	Nnanna	Ukwaja	ukwajaking MD	Department of Internal Medicine	Federal Teaching Hospital	Abakaliki	Ebonyi Stai	Nigeria								
Dr.	Olalekan	A	Uthman	olalekan.u PHD	Warwick Medical School	University of Warwick	Coventry	United_Kingdom									
Dr.	Job	F	van Boven	j.f.m.van.b PHD		University of Groningen	Groningen	Netherlands									
Mr.	Tolassa	M	Wakayo	wakayotol. MS		Jimma University	Jimma	Oromia	Ethiopia								
Dr.	Andrea		Werdecker	andrea.we PHD	Competence Center Mortality-Follow-Up of the German National Cohort	Federal Institute for Population Research	Wiesbader Hessen	Germany									
Mr.	Abdullahik		Workiche	abdullahik MPH		Jimma University	Jimma	Ethiopia					Ghent University	Ghent			Belgium
Mr.	Mohsen		Yaghoobi	mohsen.ya MA		University of Saskatchewan	Saskatoon	Saskatchewan	Canada								
Dr.	Yuichiro		Yano	yyano@jci MD	Department of Preventive Medicine	Northwestern University	Chicago	Illinois	United_States								
Dr.	Mehdi		Yaseri	myaseri@I PHD		Tehran University of Medical Sciences	Tehran	Tehran	Iran	Ophthalmic Research Center			Shahid Beheshti University of Medical Sciences	Tehran	Tehran		Iran
Mr.	Naohiro		Yonemoto	nyonemoti MPH	Department of Biostatistics, School of Public Health	Kyoto University	Kyoto	Japan									
Prof.	Mustafa	Z	Younis	younis68@ DRPH		Jackson State University	Jackson	MS	United_States								
Mr.	Bassel		Zeln	bz89@geo MS	Neuroscience Department	Georgetown University	Washington DC	United_States									
assoc_prof	Anthony	Lin	Zhang	tony.zhang PHD	School of Health and Biomedical Sciences	RMIT University	Bundoora	VIC	Australia								
Dr.	Aisha	O.	Jumaan	aishaaj@g PHD		Independent Consultant	Seattle	Washington	United_States								
Prof.	Theo		Vos	tvos@uw.4 PHD	Institute for Health Metrics and Evaluation	University of Washington	Seattle	Washington	United_States								
Prof.	Simon	I.	Hay	sihay@uw. DSc	Oxford Big Data Institute, Li Ka Shing Centre for Health Information and Discovery	University of Oxford	Oxford	United_Kir	Evaluation	Institute for Health Metrics and Evaluation			University of Washington	Seattle	Washington	United_States	

Prof.	Mohsen			Naghavi	nagham@i PhD	Institute for Health Metrics and Evaluation	University of Washington	Seattle	Washingto United_States
Prof.	Christopher	J	L	Murray	cjm@uw.i DPhil	Institute for Health Metrics and Evaluation	University of Washington	Seattle	Washingto United_States
Prof.	Ali	H.		Mokdad	mokdaa@i PhD	Institute for Health Metrics and Evaluation	University of Washington	Seattle	Washingto United_States